



101

MYTHES OVER
VOEDING

LITERATUURLIJST

101

MYTHES OVER
VOEDING

LITERATUURLIJST

INHOUD

Alcohol & overgewicht	5	Gluten & gezondheid.....	18
Appelpitten & gezondheid.....	5	Grapefruit & wisselwerking met medicijnen.....	18
Artisjokken & spijsverteringsproblemen.....	5	Groene thee & hart- en vaatziekten.....	18
Aspartaam & gezondheid.....	6	Groene thee & kanker.....	19
Ayurvedische kruidenpasta's & gezondheid.....	6	Houten snijplank & hygiëne.....	20
Basische voeding & osteoporose.....	7	Jodium & schildklier.....	20
Biologisch eten & gezondheid.....	7	Kiemen en knoppen & gemmotherapie.....	21
Borium & gewrichtsklachten.....	8	Kippensoep & verkoudheid.....	21
Borstvoeding & gezondheid.....	8	Kleur van het bord & eetgedrag.....	22
Borstvoeding & wiegendood.....	9	Kleurstoffen in levensmiddelen & ADHD.....	22
Buikvet & risico's.....	9	Knoflook & bloeddruk.....	23
Chiazaad & gezondheid.....	9	Koemelk & baby's.....	23
Chocolade & geluk.....	10	Koemelk & lactose-intolerantie.....	23
Chocolade & gezondheid.....	10	Koemelk & slijmproductie.....	24
Detox & gezondheid.....	10	Koffie & alzheimer.....	24
Diabetes & hulphond.....	11	Koffie & kanker.....	24
Dieetprogramma's voor kinderen & overgewicht.....	11	Koffie & zwangerschap.....	25
Druivenpitextract & gezondheid.....	12	Kokosolie & alzheimer.....	25
Eieren & geheugen.....	13	Koolhydraten & afvallen.....	26
Eieren & hart- en vaatziekten.....	14	Kurkuma & depressie.....	26
Energiedranken & gezondheid.....	14	Lactasepillen & lactose-intolerantie.....	27
Fenegriek & afvallen.....	14	Lightdranken & diabetes.....	28
Fructose & gezondheid.....	15	Lightdranken & overgewicht.....	28
Gember & borstkanker.....	15	Maaltijdvervangers & afvallen.....	28
Genetisch gemodificeerde maïs & gezondheid.....	16	Magnetron & gezondheid.....	29
Gerstegras & gezondheid.....	16	Mediterraan dieet & hart- en vaatziekten.....	30
Gevitaliseerd water & gezondheid.....	17	Melkproducten & botdichtheid.....	30
Glutamaat & intolerantie/allergie.....	17	MSM & artrose.....	31

Multivitaminen & gezondheid.....	32	Suiker & kanker	41
Omega 3-vetten & hart- en vaatziekten....	32	Tarwe & gezondheid.....	42
Ontbijt overslaan & risico op hartinfarct..	33	Tarwe-agglutinine & gezondheid	42
Onverzadigde vetzuren & hart- en vaat- ziekten.....	33	Vasten & gezondheid	42
Plantenextracten & afvallen	34	Veganistisch eten & gezondheid	43
Plantensterolen & cholesterol.....	35	Vegetarisch eten & gezondheid	44
Portiegrootte & overgewicht.....	35	Vezels & darmkanker	44
Probiotica & constitutioneel eczeem	35	Vis & gifstoffen	44
Proteïnesupplementen & spieropbouw.....	36	Vleesproducten & risico op kanker.....	45
Raw food & gezondheid	37	Voedselallergie & baby's.....	46
Ribose & hartproblemen.....	37	Voedingssupplementen & cholesterol- gehalte.....	46
Rode wijn & gezondheid.....	38	Volkorenproducten & gezondheid	47
Rood vlees & gezondheid	39	Water drinken & hoofdpijn.....	48
Smoothies & gezondheid	40	Xylitol & cariës	48
Sojaproducten & schildklier.....	40	Zout & hart- en vaatziekten	48
Stevia & gezondheid.....	41	Zuurzak & kanker	49
Suiker & diabetes	41		

ALCOHOL & OVERGEWICHT

- Almiron-Roig e.a. (2013). Factors that determine energy compensation: a systematic review of preload studies. *Nutrition Reviews* 71(7): 458-473.
- Bendsen e.a. (2013). Is beer consumption related to measures of abdominal and general obesity? *Nutrition Reviews* 71(2): 67-87.
- Sayon-Orea e.a. (2011). Alcohol consumption and body weight: a systematic review. *Nutrition Reviews* 69(8): 419-431.

APPELPITTEN & GEZONDHEID

- Bolarinwa e.a. (2015). Determination of amygdalin in apple seeds, fresh apples and processed apple juices. *Food Chemistry* 170: 437-442.
- Drösser (2005). Stimmt's? Gift im Gehäuse. *Die Zeit*, 21 december 2005.
- Sauer e.a. (2015). Severe cyanide poisoning from an alternative medicine treatment with amygdalin and apricot kernels in a 4-year-old child. *Wiener Medizinische Wochenschrift* 165 (9-10): 185-188.
- Toxnet (2015). Amygdalin. chem.nlm.nih.gov/chemidplus/name/amygdalin.

ARTISJOKKEN & SPIJSVERTERINGSPROBLEMEN

- Bundy e.a. (2004). Artichoke leaf extract reduces symptoms of irritable bowel syndrome and improves quality of life in otherwise healthy volunteers suffering from concomitant dyspepsia: a subset analysis. *Journal of Alternative and Complementary Medicine* 10(4): 667-669.
- Costabile e.a. (2010). A double-blind, placebo-controlled, cross-over study to establish the bifidogenic effect of a very-long-chain inulin extracted from globe artichoke (*Cynara scolymus*) in healthy human subjects. *British Journal of Nutrition* 104(7): 1007-1017.
- Holtmann e.a. (2003). Efficacy of artichoke leaf extract in the treatment of patients with functional dyspepsia: a six-week placebo-controlled, double-blind, multicentre trial. *Alimentary Pharmacology & Therapeutics*. 18(11-12): 1099-1105.
- Joy e.a. (2007). Clinical uses of artichoke leaf extract. *American Journal of Health-System Pharmacy* 64(18): 1904, 1906-1909.
- Marakis e.a. (2002). Artichoke leaf extract reduces mild dyspepsia in an open study. *Phytomedicine* 9(8): 694-699.
- Meier e.a. (2005). Artischockenblätterextrakt bei Funktioneller Dyspepsie. *Schweizerische Zeitschrift für Ganzheitsmedizin* 17: 216-221.
- Salem e.a. (2015). Pharmacological Studies of Artichoke Leaf Extract and Their Health Benefits. *Plant Foods for Human Nutrition* 70(4): 441-453.

- Walker e.a. (2001). Artichoke leaf extract reduces symptoms of irritable bowel syndrome in a post-marketing surveillance study. *Phytotherapy Research* 15(1): 58-61.
- Wegener e.a. (1999). Pharmacological properties and therapeutic profile of artichoke (*Cynara scolymus* L.). *Wiener Medizinische Wochenschrift* 149(8-10): 241-247.
- Wider e.a. (2013). Artichoke leaf extract for treating hypercholesterolaemia. *The Cochrane Database of Systematic Reviews* 3: CD003335.

ASPARTAAM & GEZONDHEID

- Bodamer e.a. (2016). Overview of phenylketonuria. *UpToDate*. www.uptodate.com/contents/overview-of-phenylketonuria.
- Bundesinstitut für Risikobewertung (2014). Bewertung von Süßstoffen und Zuckeraustauschstoffen. www.bfr.bund.de/cm/343/bewertung_von_suessstoffen.pdf.
- EFSA (2013). Output of the public consultation on the draft EFSA scientific opinion on the re-evaluation of aspartame (E951) as a food additive. www.efsa.europa.eu/de/supporting/pub/523e.htm.
- EFSA Panel on Food Additives and Nutrient Sources added to Food (2013). Scientific Opinion on the re-evaluation of aspartame (E 951) as a food additive. *EFSA Journal* 11(12): 3496.
- EFSA Panel on Food Additives and Nutrient Sources added to Food (2013). Statement on two reports pertinent to the re-evaluation of aspartame. www.efsa.europa.eu/de/efsajournal/pub/3504.htm.
- IARC (1999). Saccharin and Its Salts. *IARC Monographs* 73: 517-624.
- Toxnet (2016). Sodium chloride. chem.sis.nlm.nih.gov/chemidplus/rn/7647-14-5.
- Toxnet (2016). Water. chem.sis.nlm.nih.gov/chemidplus/rn/7732-18-5.
- US Food & Drug Administration (FDA) (1980). www.fda.gov/downloads/Food/IngredientsPackagingLabeling/FoodAdditivesIngredients/UCM404344.pdf.
- US Food & Drug Administration (FDA) (2014). Additional Information about High-Intensity Sweeteners Permitted for Use in Food in the United States. www.fda.gov/Food/IngredientsPackagingLabeling/FoodAdditivesIngredients/ucm397725.htm.

AYURVEDISCHE KRUIDENPASTA'S & GEZONDHEID

- Agarwal e.a. (2007). Ayurvedic medicine for schizophrenia. *The Cochrane Database of Systematic Reviews* 4: CD006867.
- Debnath e.a. (2012). Adjunct therapy of Ayurvedic medicine with anti tubercular drugs on the therapeutic management of pulmonary tuberculosis. *Journal of Ayurveda and Integrative Medicine* 3(3): 141-149.

- Liu e.a. (2006). Herbal medicines for treatment of irritable bowel syndrome. *The Cochrane Database of Systematic Reviews* 1: CD004116.
- Manjunatha e.a. (2001). Effect of Chyawanprash and vitamin C on glucose tolerance and lipoprotein profile. *Indian Journal of Physiology and Pharmacology* 45(1): 71-79.
- National Center for Complementary and Integrative Health (2015). Ayurvedic Medicine. nccih.nih.gov/health/ayurveda.
- Parle e.a. (2006). Traditional medicinal formulation, Chyawanprash – A review. *Indian Journal of Traditional Knowledge* 5(4): 484-488.
- Pulla (2014). Biomedical Research. Searching for science in India's traditional medicine. *Science* 346(6208): 410.
- Sailesh e.a. (2014). Effect of Chyanwaprash on cognitive, autonomic and respiratory parameters in college students. *International Journal of Research in Ayurveda & Pharmacy* 5(4): 435-438.
- Tillu e.a. (2015). Ayurveda interventions for rheumatoid arthritis. *The Cochrane Database of Systematic Reviews* 3: CD011569.
- Uma e.a. (2014). A Cytogenetic Study on the Efficacy of Chyawanprash Awaleha as an Antioxidant in Oral Premalignant Cancer. *Journal of Oral Oncology* 2014 (Article ID 864230).

BASISCHE VOEDING & OSTEOPOROSE

- Fenton e.a. (2009). Meta-analysis of the effect of the acid-ash hypothesis of osteoporosis on calcium balance. *Journal of Bone and Mineral Research* 24(11): 1835-1840.
- Fenton e.a. (2011). Causal assessment of dietary acid load and bone disease: a systematic review & meta-analysis applying Hill's epidemiologic criteria for causality. *Nutrition Journal* 10: 41.
- Remer e.a. (1995). Potential renal acid load of foods and its influence on urine pH. *Journal of the American Dietetic Association* 95(7): 791-797.

BIOLOGISCH ETEN & GEZONDHEID

- Barański e.a. (2014). Higher antioxidant and lower cadmium concentrations and lower incidence of pesticide residues in organically grown crops: a systematic literature review and meta-analyses. *British Journal of Nutrition* 112(5): 794-811.
- Hoefkens e.a. (2010). Consuming organic versus conventional vegetables: the effect on nutrient and contaminant intakes. *Food and Chemical Toxicology* 48(11): 3058-3066.
- Smith-Spangler e.a. (2012). Are Organic Foods Safer or Healthier Than Conventional Alternatives? A Systematic Review. *Annals of Internal Medicine* 157(5): 348-366.

Erratum: in de tekst op pagina 25 is helaas een fout geslopen. De juiste tekst: "Verder werden in de gangbaar gekweekte planten duidelijk meer giftige zware metalen als cadmium gevonden dan in de biologisch gekweekte."

BORIUM & GEWRICHTSKLACHTEN

- BfR (2005). Zusatz von Borsäure oder Borax in Nahrungsergänzungsmitteln. bfr.bund.de/cm/343/zusatz_von_borsaere_oder_borax_in_nahrungsergaenzungsmitt.pdf.
- EFSA (2013). Re-evaluation of boric acid (E 284) and sodium tetraborate (E 285) as food additives. www.efsa.europa.eu/en/efsajournal/pub/3407.
- IQWIG (2014). Arthrose. www.gesundheitsinformation.de/arthrose.2700.de.html.
- Pietrzkowski e.a. (2014). Short-term efficacy of calcium fructoborate on subjects with knee discomfort: a comparative, double-blind, placebo-controlled clinical study. *Clinical Interventions in Aging* 5(9): 895-899.
- Reyes-Izquierdo e.a. (2012). Short-term Intake of Calcium Fructoborate Improves WOMAC and McGill Scores and Beneficially Modulates Biomarkers Associated with Knee Osteoarthritis. *American Journal of Biomedical Sciences* 4(2): 111-122.
- Scorei e.a. (2011). A double-blind, placebo-controlled pilot study to evaluate the effect of calcium fructoborate on systemic inflammation and dyslipidemia markers for middle-aged people with primary osteoarthritis. *Biological Trace Element Research* 144(1-3): 253-263.
- Travers e.a. (1990). Boron and Arthritis: The Results of a Double-blind Study. *Journal of Nutritional Medicine* 1(2): 127-132.

BORSTVOEDING & GEZONDHEID

- Amitay e.a. (2015). Breastfeeding and Childhood Leukemia Incidence: A Meta-analysis and Systematic Review. *JAMA Pediatrics* 169(6): e151025.
- Colen e.a. (2014). Is breast truly best? Estimating the effects of breastfeeding on long-term child health and wellbeing in the United States using sibling comparisons. *Social Science & Medicine* 109: 55-65.
- Horta e.a. (2013). *Short-term effects of breastfeeding*. Genève: World Health Organization.
- Horta e.a. (2015). Long-term consequences of breastfeeding on cholesterol, obesity, systolic blood pressure and type 2 diabetes: a systematic review and meta-analysis. *Acta Paediatrica* 104(467): 30-37.
- Horta e.a. (2015). Breastfeeding and intelligence: a systematic review and meta-analysis. *Acta Paediatrica* 104(467): 14-19.
- Kramer e.a. (2012). Optimal duration of exclusive breastfeeding. *The Cochrane Database of Systematic Reviews* 8: CD003517.
- Walfisch e.a. (2013). Breast milk and cognitive development – the role of confounders: a systematic review. *BMJ* 3(8): e003259.
- Yan e.a. (2014). The association between breastfeeding and childhood obesity: a meta-analysis. *BMC Public Health* 14: 1267.

BORSTVOEDING & WIEGENDOOD

- Corwin e.a. (2016). Sudden infant death syndrome: Risk factors and risk reduction strategies. *UpToDate*. www.uptodate.com/contents/sudden-infant-death-syndrome-risk-factors-and-risk-reduction-strategies.
- De Jonge & Hoogenboezem (2015). *Een kwart eeuw wiegendood in Nederland*. CBS, Bevolkingstrends 3e kwartaal 2005.
- Gilbert e.a. (2005). Infant sleeping position and the sudden infant death syndrome: systematic review of observational studies and historical review of recommendations from 1940 to 2002. *International Journal of Epidemiology* 34(4): 874-887.
- Hauck e.a. (2005). Do pacifiers reduce the risk of sudden infant death syndrome? A meta-analysis. *Pediatrics* 116(5): e716-723.
- Hauck e.a. (2011). Breastfeeding and reduced risk of sudden infant death syndrome: a meta-analysis. *Pediatrics* 128(1): 103-110.
- Mitchell e.a. (2006). Smoking and the sudden infant death syndrome. *Reviews on Environmental Health* 21(2): 81-103.
- Vennemann e.a. (2007). Do immunisations reduce the risk for SIDS? A meta-analysis. *Vaccine* 25(26): 4875-4879.

BUIKVET & RISICO'S

- Carmienke e.a. (2013). General and abdominal obesity parameters and their combination in relation to mortality: a systematic review and meta-regression analysis. *European Journal of Clinical Nutrition* 67(6): 573-585.
- Cerhan e.a. (2014). A pooled analysis of waist circumference and mortality in 650,000 adults. *Mayo Clinic Proceedings* 89(3): 335-345.
- Chang e.a. (2012). A systematic review of body fat distribution and mortality in older people. *Maturitas* 72(3): 175-191.
- Coutinho e.a. (2011). Central obesity and survival in subjects with coronary artery disease: a systematic review of the literature and collaborative analysis with individual subject data. *Journal of the American College of Cardiology* 57(19): 1877-1886.
- Pischon e.a. (2008). General and abdominal adiposity and risk of death in Europe. *The New England Journal of Medicine* 359(20): 2105-2120.

CHIAZAAD & GEZONDHEID

- De Souza Ferreira e.a. (2015). Effect of chia seed (*Salvia Hispanica L.*) consumption on cardiovascular risk factors in humans: a systematic review. *Nutricion Hospitalaria* 32(5): 1909-1918.

- EFSA (2009). Opinion on the safety of 'Chia seeds (*Salvia hispanica* L.) and ground whole Chia seeds' as a food ingredient. *EFSA Journal* 996: 1-26.
- Jin e.a. (2012). Supplementation of milled chia seeds increases plasma ALA and EPA in postmenopausal women. *Plant Foods for Human Nutrition* 67(2): 105-110.
- Nieman e.a. (2009). Chia seed does not promote weight loss or alter disease risk factors in overweight adults. *Nutrition Research* 29(6): 414-418.
- Nieman e.a. (2012). Chia seed supplementation and disease risk factors in overweight women: a metabolomics investigation. *Journal of Alternative and Complementary Medicine* 18(7): 700-708.
- Pan e.a. (2012). α -Linolenic acid and risk of cardiovascular disease: a systematic review and meta-analysis. *The American Journal of Clinical Nutrition* 96(6): 1262-1273.
- Toscano e.a. (2014). Chia flour supplementation reduces blood pressure in hypertensive subjects. *Plant Foods for Human Nutrition* 69(4): 392-398.
- Vuksan e.a. (2007). Supplementation of conventional therapy with the novel grain Salba (*Salvia hispanica* L.) improves major and emerging cardiovascular risk factors in type 2 diabetes: results of a randomized controlled trial. *Diabetes Care* 30(11): 2804-2810.

CHOCOLADE & GELUK

- Scholey e.a. (2013). Effects of chocolate on cognitive function and mood: a systematic review. *Nutrition Reviews* 71(10): 665-681.

CHOCOLADE & GEZONDHEID

- Buitrago-Lopez e.a. (2011). Chocolate consumption and cardiometabolic disorders: systematic review and meta-analysis. *BMJ* 343: d4488.
- Hooper e.a. (2012). Effects of chocolate, cocoa, and flavan-3-ols on cardiovascular health: a systematic review and meta-analysis of randomized trials. *The American Journal of Clinical Nutrition* 95(3): 740-751.
- Ried e.a. (2017). Effect of cocoa on blood pressure. *The Cochrane Database of Systematic Reviews* 4: CD008893.

DETOX & GEZONDHEID

- Ernst (2012). Alternative detox. *British Medical Bulletin* 101: 33-38.
- IQWIG (2013). Wie funktioniert der Darm? www.gesundheitsinformation.de/wie-funktioniert-der-darm.2144.de.html.
- IQWIG (2015). Wie funktionieren die Nieren? www.gesundheitsinformation.de/wie-funktionieren-die-nieren.2240.de.html.

- IQWIG (2016). Wie funktioniert die Leber? www.gesundheitsinformation.de/wie-funktioniert-die-leber.2250.de.html.
- Lamprecht e.a. (2015). Effects of zeolite supplementation on parameters of intestinal barrier integrity, inflammation, redoxbiology and performance in aerobically trained subjects. *Journal of the International Society of Sports Nutrition* 12: 40.
- Pavelic e.a. (2001). Natural zeolite clinoptilolite: new adjuvant in anticancer therapy. *Journal of Molecular Medicine* 78(12): 708-720.
- Temple (2010). The marketing of dietary supplements in North America: the emperor is (almost) naked. *Journal of Alternative and Complementary Medicine* 16(7): 803-806.
- Zarkovic e.a. (2003). Anticancer and antioxidative effects of micronized zeolite clinoptilolite. *Anticancer Research* 23(2B): 1589-1595.

DIABETES & HULPHOND

- Bundesministerium für Gesundheit (2013). Zivilisationskrankheit Diabetes: Ausprägungen – Lösungsansätze – Herausforderungen. www.oedg.org/pdf/diabetes-bericht_2013.pdf.
- Chen e.a. (2000). Non-invasive detection of hypoglycaemia using a novel, fully biocompatible and patient friendly alarm system. *BMJ* 321(7276): 1565-1566.
- Dehlinger e.a. (2013). Can trained dogs detect a hypoglycemic scent in patients with type 1 diabetes? *Diabetes Care* 36(7): e98-e99.
- Gonder-Frederick e.a. (2013). Diabetic alert dogs: a preliminary survey of current users. *Diabetes Care* 36(4): e47.
- IQWIG (2013). Diabetes Typ 1. www.gesundheitsinformation.de/diabetes-typ-1.-2196.de.html.
- Rooney e.a. (2013). Investigation into the value of trained glycaemia alert dogs to clients with type I diabetes. *PLoS One* 8(8): e69921.
- Wells e.a. (2008). Canine responses to hypoglycemia in patients with type 1 diabetes. *Journal of Alternative and Complementary Medicine* 14(10): 1235-1241.

DIETPROGRAMMA'S VOOR KINDEREN & OVERGEWICHT

- Center of Disease Control and Prevention (CDC) (z.j.). Childhood Obesity Causes & Consequences. www.cdc.gov/obesity/childhood/causes.html.
- Colquitt e.a. (2016). Diet, physical activity, and behavioural interventions for the treatment of overweight or obesity in preschool children up to the age of 6 years. *The Cochrane Database of Systematic Reviews* 3: CD012105.
- Ho e.a. (2013). Impact of dietary and exercise interventions on weight change and metabolic outcomes in obese children and adolescents: a systematic review and meta-analysis of randomized trials. *JAMA Pediatrics* 167(8): 759-768.

- Luttikhuis e.a. (2010). Interventions for treating obesity in children. *The Cochrane Database of Systematic Reviews* 1: CD001872.
- Waters e.a. (2011). Interventions for preventing obesity in children. *The Cochrane Database of Systematic Reviews* 12: CD001871.
- World Health Organization (WHO) (z.j.). Obesity and overweight. Factsheet. www.who.int/mediacentre/factsheets/fs311/en/.

DRUIVENPITEXTRACT & GEZONDHEID

- Abdel-Kawi e.a. (2016). Mechanism of diethylhexylphthalate (DEHP) induced testicular damage and of grape seed extract-induced protection in the rat. *Food and Chemical Toxicology* 90: 64-75.
- Alkhedaide e.a. (2016). Protective effect of grape seed extract against cadmium-induced testicular dysfunction. *Molecular Medicine Reports* 13(4): 3101-3109.
- Bundesinstitut für Risikobewertung (z.j.). Gesundheitliche Bewertung von Nahrungsergänzungsmitteln. bfr.bund.de/de/gesundheitsliche_bewertung_von_nahrungsergaenzungsmitteln-945.html (geraadpleegd op 13 september 2016).
- Deutsche Gesellschaft für Ernährung (2012). DGEInfo 12/2014: 178-186.
- Fairfield e.a. (2016). Vitamin supplementation in disease prevention. *UpToDate*. www.uptodate.com/contents/vitamin-supplementation-in-disease-prevention.
- Feringa e.a. (2011). The effect of grape seed extract on cardiovascular risk markers: a meta-analysis of randomized controlled trials. *Journal of the American Dietetic Association* 111(8): 1173-1181.
- Gessner e.a. (2013). Supplementation of a grape seed and grape marc meal extract decreases activities of the oxidative stress-responsive transcription factors NF-κB and Nrf2 in the duodenal mucosa of pigs. *Acta Veterinaria Scandinavica* 55: 18.
- Goey e.a. (2013). The effect of grape seed extract on the pharmacokinetics of dextromethorphan in healthy volunteers. *European Journal of Clinical Pharmacology* 69(11): 1883-1890.
- IQWIG (2014). Nahrungsergänzungsmittel: Können sie auch schaden? www.gesundheitsinformation.de/nahrungsergaenzungsmittel-koennen-sie-auch-schaden.2321.de.html.
- IQWIG (2016). Was sind Nahrungsergänzungsmittel? www.gesundheitsinformation.de/was-sind-nahrungsergaenzungsmittel.2278.de.html.
- Irandoost e.a. (2013). Does grape seed oil improve inflammation and insulin resistance in overweight or obese women? *International Journal of Food Sciences and Nutrition* 64(6): 706-710.
- Jin e.a. (2012). Dietary flavonoid for preventing colorectal neoplasms. *The Cochrane Database of Systematic Reviews* 8: CD009350.

- Kar e.a. (2009). Effects of grape seed extract in Type 2 diabetic subjects at high cardiovascular risk: a double blind randomized placebo controlled trial examining metabolic markers, vascular tone, inflammation, oxidative stress and insulin sensitivity. *Diabetic Medicine* 26(5): 526-531.
- Lluís e.a. (2011). Toxicology evaluation of a procyanidin-rich extract from grape skins and seeds. *Food and Chemical Toxicology* 49(6): 1450-1454.
- Pavan e.a. (2011). Biomimetic approach for root caries prevention using a proanthocyanidin-rich agent. *Caries Research* 45(5): 443-447.
- Ras e.a. (2013). Effect of polyphenol-rich grape seed extract on ambulatory blood pressure in subjects with pre- and stage I hypertension. *British Journal of Nutrition* 110(12): 2234-2241.
- Razavi e.a. (2013). Red grape seed extract improves lipid profiles and decreases oxidized low-density lipoprotein in patients with mild hyperlipidemia. *Journal of Medicinal Food* 16(3): 255-258.
- Shao e.a. (2003). Grape seed proanthocyanidins induce pro-oxidant toxicity in cardiomyocytes. *Cardiovascular Toxicology* 3(4): 331-339.
- Shao e.a. (2006). Cytotoxicity induced by grape seed proanthocyanidins: role of nitric oxide. *Cell Biology and Toxicology* 22(3): 149-158.
- Shenoy e.a. (2007). Effects of grape seed extract consumption on platelet function in postmenopausal women. *Thrombosis Research* 121(3): 431-432.
- Sivaprakasapillai e.a. (2009). Effect of grape seed extract on blood pressure in subjects with the metabolic syndrome. *Metabolism* 58(12): 1743-1746.
- Van Mierlo e.a. (2010). Grape polyphenols do not affect vascular function in healthy men. *Journal of Nutrition* 140(10): 1769-1773.
- Wahner-Roedler e.a. (2014). The effect of grape seed extract on estrogen levels of postmenopausal women: a pilot study. *Journal of Dietary Supplements* 11(2): 184-197.
- Wang e.a. (2014). Flavonoid intake and risk of CVD: a systematic review and meta-analysis of prospective cohort studies. *British Journal of Nutrition* 111(1): 1-11.

EIEREN & GEHEUGEN

- Buchman e.a. (2001). Verbal and visual memory improve after choline supplementation in long-term total parenteral nutrition: a pilot study. *Journal of Parental and Enteral Nutrition* 25(1): 30-35.
- Davis e.a. (1980). Cholinomimetics and memory. The effect of choline chloride. *Archives of Neurology* 37(1): 49-52.
- Fioravanti e.a. (2010). Cytidinediphosphocholine (CDP-choline) for cognitive and behavioural disturbances associated with chronic cerebral disorders in the elderly. *The Cochrane Database of Systematic Reviews*: CD000269.

- Higgins e.a. (2000). Lecithin for dementia and cognitive impairment. *The Cochrane Database of Systematic Reviews* 4: CD001015.
- Mohs e.a. (1980). Choline chloride effects on memory in the elderly. *Neurobiology of Aging* 1(1): 21-25.
- Poly e.a. (2011). The relation of dietary choline to cognitive performance and white-matter hyperintensity in the Framingham Offspring Cohort. *The American Journal of Clinical Nutrition* 94(6): 1584-1591.

EIEREN & HART- EN VAATZIEKTEN

- Gillman (2013). Dietary fat. *UpToDate*. www.uptodate.com/contents/dietary-fat.
- Hooper e.a. (2012). Reduced or modified dietary fat for preventing cardiovascular disease. *The Cochrane Database of Systematic Reviews* 5: CD002137.
- IQWIG (2013). Erhöhte Cholesterinwerte. www.gesundheitsinformation.de/erhoehte-cholesterinwerte.2178.de.html.
- Rong e.a. (2013). Egg consumption and risk of coronary heart disease and stroke: dose-response meta-analysis of prospective cohort studies. *BMJ* 346: e8539.
- Shin e.a. (2013). Egg consumption in relation to risk of cardiovascular disease and diabetes: a systematic review and meta-analysis. *The American Journal of Clinical Nutrition* 98(1): 146-159.

ENERGIEDRANKEN & GEZONDHEID

- Bordeaux e.a. (2013). Benefits and risks of caffeine and caffeinated beverages. *UpToDate*. www.uptodate.com/contents/benefits-and-risks-of-caffeine-and-caffeinated-beverages.
- Burrows e.a. (2013). What are the health implications associated with the consumption of energy drinks? A systematic review. *Nutrition Reviews* 71(3): 135-148.
- Clauson e.a. (2008). Safety issues associated with commercially available energy drinks. *Journal of the American Pharmacists Association* 48(3): e55-63.
- Giardina e.a. (2016). Cardiovascular effects of caffeine and caffeinated beverages. *UpToDate*. www.uptodate.com/contents/cardiovascular-effects-of-caffeine-and-caffeinated-beverages.
- Voedingscentrum (z.j.). Energiedrankjes. www.voedingscentrum.nl/encyclopedie/energiedrankjes.aspx.

FENEGRIEK & AFVALLEN

- Chevassus e.a. (2010). A fenugreek seed extract selectively reduces spontaneous fat intake in overweight subjects. *European Journal of Clinical Pharmacology* 66(5): 449-555.

- Mathern e.a. (2009). Effect of fenugreek fiber on satiety, blood glucose and insulin response and energy intake in obese subjects. *Phytotherapy Research* 23(11): 1543-1548.
- Neelakantan e.a. (2014). Effect of fenugreek (*Trigonella foenum-graecum* L.) intake on glycemia: a meta-analysis of clinical trials. *Nutrition Journal* 13: 7.
- Rguibi e.a. (2006). Fattening practices among Moroccan Saharawi women. *Eastern Mediterranean Health Journal* 12(5): 619-624.
- Spencer e.a. (2016). Common problems of breastfeeding and weaning. *UpToDate*. www.uptodate.com/contents/common-problems-of-breastfeeding-and-weaning.

FRUCTOSE & GEZONDHEID

- Chiu e.a. (2014). Effect of fructose on markers of non-alcoholic fatty liver disease (NAFLD): a systematic review and meta-analysis of controlled feeding trials. *European Journal of Clinical Nutrition* 68(4): 416-423.
- Chung e.a. (2014). Fructose, high-fructose corn syrup, sucrose, and nonalcoholic fatty liver disease or indexes of liver health: a systematic review and meta-analysis. *American Journal of Clinical Nutrition* 100(3): 833-849.
- Institute of Medicine e.a. (2005). *Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids*. Washington: The National Academies Press.
- Sievenpiper e.a. (2012). Effect of fructose on body weight in controlled feeding trials: a systematic review and meta-analysis. *Annals of Internal Medicine* 156(4): 291-304.
- Tendler e.a. (2016). Pathogenesis of nonalcoholic fatty liver disease. *UpToDate*. www.uptodate.com/contents/pathogenesis-of-nonalcoholic-fatty-liver-disease.

GEMBER & BORSTKANKER

- Elkady e.a. (2012). Differential control of growth, apoptotic activity, and gene expression in human breast cancer cells by extracts derived from medicinal herbs *Zingiber officinale*. *Journal of Biomedicine & Biotechnology* 2012: 614356.
- IQWIG (2016). Brustkrebs. www.gesundheitsinformation.de/brustkrebs.2276.de.html.
- Krell e.a. (2012). Ginger: the root of cancer therapy? *The Lancet Oncology* 13(3): 235-236.
- Lee e.a. (2013). Ginger as an antiemetic modality for chemotherapy-induced nausea and vomiting: a systematic review and meta-analysis. *Oncology Nursing Forum* 40(2): 163-170.

- Ling e.a. (2010). 6-Shogaol, an active constituent of ginger, inhibits breast cancer cell invasion by reducing matrix metalloproteinase-9 expression via blockade of nuclear factor- κ B activation. *British Journal of Pharmacology* 161(8): 1763-1777.
- Marx e.a. (2013). Ginger (*Zingiber officinale*) and chemotherapy-induced nausea and vomiting: a systematic literature review. *Nutrition Reviews* 71(4): 245-254.
- Matthews e.a. (2014). Interventions for nausea and vomiting in early pregnancy. *The Cochrane Database of Systematic Reviews* 3: CD007575.
- Nagasawa e.a. (2002). Effects of bitter melon (*Momordica charantia* L.) or ginger rhizome (*Zingiber officinale* Rosc) on spontaneous mammary tumorigenesis in SHN mice. *American Journal of Chinese Medicine* 30(2-3): 195-205.
- Statistik Austria (2013). Brust. www.statistik.at/web_de/statistiken/gesundheit/krebserkrankungen/brust/index.html.
- Viljoen e.a. (2014). A systematic review and meta-analysis of the effect and safety of ginger in the treatment of pregnancy-associated nausea and vomiting. *Nutrition Journal* 13: 20.

GENETISCH GEMODIFICEERDE MAÏS & GEZONDHEID

- Domingo e.a. (2011). A literature review on the safety assessment of genetically modified plants. *Environment International* 37(4): 734-742.
- Doull e.a. (2007). Report of an Expert Panel on the reanalysis by of a 90-day study conducted by Monsanto in support of the safety of a genetically modified corn variety (MON 863). *Food and Chemical Toxicology* 45(11): 2073-2085.
- Hammond e.a. (2006). Results of a 90-day safety assurance study with rats fed grain from corn rootworm-protected corn. *Food and Chemical Toxicology* 44(2): 147-160.
- Kaspareit e.a. (1999). Spontaneous neoplastic lesions in Harlan Sprague-Dawley rats. *Experimental and Toxicologic Pathology* 51(1): 105-107.
- Séralini e.a. (2007). New analysis of a rat feeding study with a genetically modified maize reveals signs of hepatorenal toxicity. *Archives of Environmental Contamination and Toxicology* 52(4): 596-602.
- Snell e.a. (2012). Assessment of the health impact of GM plant diets in long-term and multigenerational animal feeding trials: a literature review. *Food and Chemical Toxicology* 50(3-4): 1134-1148.

GERSTEGRAS & GEZONDHEID

- Bundesministerium für Arbeit, Soziales, Gesundheit und Konsumentenschutz (2012). Der Österreichische Ernährungsbericht 2012. www.bmgf.gv.at/home/Gesundheit/Ernaehrung/Rezepte_Broschueren_Berichte/Der_Oesterreichische_Ernaehrungsbericht_2012.

- Byun e.a. (2015). Effects of a Dietary Supplement with Barley Sprout Extract on Blood Cholesterol Metabolism. *Evidence-Based Complementary and Alternative Medicine* 2015: 473056.
- Robles-Escajeda e.a. (2013). Searching in mother nature for anti-cancer activity: anti-proliferative and pro-apoptotic effect elicited by green barley on leukemia/lymphoma cells. *PLoS One* 8(9): e73508.

GEVITALISEERD WATER & GEZONDHEID

- Gonçalves e.a. (2014). Grander system: a new technology to reduce surface tension of adhesive systems in dentistry. *Acta Odontologica Scandinavica* 72(1): 31-35.
- Hammer (2004). *Untersuchung von Effekten in energetisiertem Wasser unter Berücksichtigung ausgewählter mikrobiologischer, physikalischer und pflanzen-physiologischer Aspekte*. Wenen: Universität für Bodenkultur.
- Heckel e.a. (2003). Oberflächenspannungsänderung durch Grander-Belebung nicht bestätigt. homepage.univie.ac.at/erich.eder/wasser/potsdam-studie.pdf.
- Homepage des Herstellers (2014) www.grander.com.
- Leuenberger e.a. (2005). *Vergleich der Leitfähigkeit, Oberflächenspannung und des pH-Werts von Grander- und normalem Wasser*. Bern: Berner Fachhochschule.
- Neuseeländische Commerce Commission (2005). www.comcom.govt.nz.

GLUTAMAAT & INTOLERANTIE/ALLERGIE

- EFSA (2017). Re-evaluation of glutamic acid (E 620), sodium glutamate (E 621), potassium glutamate (E 622), calcium glutamate (E 623), ammonium glutamate (E 624) and magnesium glutamate (E 625) as food additives. *EFSA Journal* 15(7): 4910-5000.
- Geha e.a. (2000). Multicenter, double-blind, placebo-controlled, multiple-challenge evaluation of reported reactions to monosodium glutamate. *Journal of Allergy and Clinical Immunology* 106(5): 973-980.
- Prawirohardjono e.a. (2000). The administration to Indonesians of monosodium L-glutamate in Indonesian foods: an assessment of adverse reactions in a randomized double-blind, crossover, placebo-controlled study. *Journal of Nutrition* 130(4S Suppl): 1074S-1076S.
- Tarasoff e.a. (1993). Monosodium L-glutamate: a double-blind study and review. *Food and Chemical Toxicology* 31(12): 1019-1035.
- Yang e.a. (1997). The monosodium glutamate symptom complex: assessment in a double-blind, placebo-controlled, randomized study. *Journal of Allergy and Clinical Immunology* 99(6 Pt 1): 757-762.



- Zhou e.a. (2012). Monosodium glutamate avoidance for chronic asthma in adults and children. *The Cochrane Database of Systematic Reviews* 6: CD004357.

GLUTEN & GEZONDHEID

- Bonder e.a. (2016). The influence of a short-term gluten-free diet on the human gut microbiome. *Genome Medicine* 8(1): 45.
- De Gouw (2017). Minder gluten, minder gezond. *Gezondgids* augustus 2017: 10-13.
- IQWIG (2013). Reizdarmsyndrom. www.gesundheitsinformation.de/reizdarmsyndrom.2269.de.html.
- Missbach e.a. (2015). Gluten-free food database: the nutritional quality and cost of packaged gluten-free foods. *PeerJ* 3: e1337.
- NIH (2014). Learn about gluten-free diets. *MedlinePlus*. medlineplus.gov/ency/patientinstructions/000813.htm.
- Reilly (2016). The Gluten-Free Diet: Recognizing Fact, Fiction, and Fad. *Journal of Pediatrics* 175: 206-210.
- Vici e.a. (2016). Gluten free diet and nutrient deficiencies: A review. *Clinical Nutrition* 35(6): 1236-1241.
- Wald e.a. (2016). Treatment of irritable bowel syndrome in adults. *UpToDate*. www.uptodate.com/contents/treatment-of-irritable-bowel-syndrome-in-adults.

GRAPEFRUIT & WISSELWERKING MET MEDICIJNEN

- Bailey e.a. (2013). Grapefruit-medication interactions: forbidden fruit or avoidable consequences? *CMAJ* 185(4): 309-316.
- Uesawa e.a. (2010). Publication bias on clinical studies of pharmacokinetic interactions between felodipine and grapefruit juice. *Pharmazie* 65(5): 375-378.

GROENE THEE & HART- EN VAARTZIEKTEN

- Hartley e.a. (2013). Green and black tea for the primary prevention of cardiovascular disease. *The Cochrane Database of Systematic Reviews* 6: CD009934.
- Li e.a. (2015). Effect of green tea supplementation on blood pressure among overweight and obese adults: a systematic review and meta-analysis. *Journal of hypertension* 33(2): 243-254.
- Onakpoya e.a. (2014). The effect of green tea on blood pressure and lipid profile: a systematic review and meta-analysis of randomized clinical trials. *Nutrition, metabolism and cardiovascular diseases* 24(8): 823-836.
- Tang e.a. (2015). Tea consumption and mortality of all cancers, CVD and all causes: a meta-analysis of eighteen prospective cohort studies. *British Journal of Nutrition* 114(5): 673-683.

- Weiss e.a. (2003). Determination of catechins in matcha green tea by micellar electrokinetic chromatography. *Journal of Chromatography* 1011(1-2): 173-180.
- Yarmolinsky e.a. (2015). Effect of tea on blood pressure for secondary prevention of cardiovascular disease: a systematic review and meta-analysis of randomized controlled trials. *Nutrition reviews* 73(4): 236-246.
- Zhang e.a. (2015). Tea consumption and risk of cardiovascular outcomes and total mortality: a systematic review and meta-analysis of prospective observational studies. *European journal of epidemiology* 30(2): 103-113.

GROENE THEE & KANKER

- Ahn e.a. (2003). Protective effects of green tea extracts (polyphenon E and EGCG) on human cervical lesions. *European Journal of Cancer Prevention* 12(5): 383-390.
- Betuzzi e.a. (2006). Chemoprevention of human prostate cancer by oral administration of green tea catechins in volunteers with high-grade prostate intraepithelial neoplasia: a preliminary report from a one-year proof-of-principle study. *Cancer Research* 66(2): 1234-1240.
- Boehm e.a. (2009). Green tea (*Camellia sinensis*) for the prevention of cancer. *The Cochrane Database of Systematic Reviews* 3: CD005004.
- Dostal e.a. (2015). The safety of green tea extract supplementation in postmenopausal women at risk for breast cancer: results of the Minnesota Green Tea Trial. *Food and Chemical Toxicology* 83: 26-35.
- Fritz e.a. (2013). Green tea and lung cancer: a systematic review. *Integrative Cancer Therapies* 12(1): 7-24.
- Gezondheidsraad (2015). *Richtlijnen goede voeding 2015*. www.gezondheidsraad.nl/nl/taak-werkwijze/werkterrein/gezonde-voeding/richtlijnen-goede-voeding-2015.
- Johnson e.a. (2012). Green tea and green tea catechin extracts: an overview of the clinical evidence. *Maturitas* 73(4): 280-287.
- Lemarié e.a. (2012). Antitumor activity of the tea polyphenol epigallocatechin-3-gallate encapsulated in targeted vesicles after intravenous administration. *Nanomedicine* 8(2): 181-192.
- Nguyen e.a. (2011). Randomized, double-blind, placebo-controlled trial of polyphenon E in prostate cancer patients before prostatectomy: evaluation of potential chemopreventive activities. *Cancer Prevention Research* 5(2): 290-298.
- Tang e.a. (2015). Tea consumption and mortality of all cancers, CVD and all causes: a meta-analysis of eighteen prospective cohort studies. *British Journal of Nutrition* 114(5): 673-683.
- Tsao e.a. (2009). Phase II randomized, placebo-controlled trial of green tea extract in patients with high-risk oral premalignant lesions. *Cancer Prevention Research* 2(11): 931-941.

HOUTEN SNIJPLANK & HYGIËNE

- Abrishami e.a. (1994). Bacterial adherence and viability on cutting board surfaces. *Journal of Food Safety* 14(2): 153-172.
- Ak e.a. (1994). Decontamination of Plastic and Wooden Cutting Boards for Kitchen Use. *Journal of Food Protection* 57(1): 23-30.
- Deza e.a. (2007). Efficacy of neutral electrolyzed water to inactivate *Escherichia coli*, *Listeria monocytogenes*, *Pseudomonas aeruginosa*, and *Staphylococcus aureus* on plastic and wooden kitchen cutting boards. *Journal of Food Protection* 70(1): 102-108.
- Gehrig e.a. (2000). Hygienische Eigenschaften von Holz- und Kunststoffbrettern in der Nahrungsmittelverarbeitung und -präsentation: Ein Vergleich. *Holz als Roh- und Werkstoff* 58(4): 265-269.
- Gilbert e.a. (1971). Some laboratory experiments on various meat preparation surfaces with regard to surface contamination and cleaning. *International Journal of Food Science & Technology* 6(2): 163-170.
- Gough e.a. (1998). The survival and disinfection of *Salmonella typhimurium* on chopping board surfaces of wood and plastic. *Food Control* 9(6): 363-368.
- Kass e.a. (1992). Disease determinants of sporadic salmonellosis in four northern California counties. A case-control study of older children and adults. *The American College of Epidemiology* 2(5): 683-696.
- Kleiner e.a. (2014). Vergleichsuntersuchungen zum Hygienestatus von Holz- und Kunststoff-schneidbrettern im Labormodell. *Rundschau für Fleischhygiene und Lebensmittelüberwachung* 66(9): 319-324.
- Miller e.a. (1996). Comparison of Wooden and Polyethylene Cutting Boards: Potential for the Attachment and Removal of Bacteria from Ground Beef. *Journal of Food Protection* 59(8): 854-858.
- Welker e.a. (1997). Bacterial Retention and Cleanability of Plastic and Wood Cutting Boards with Commercial Food Service Maintenance Practices. *Journal of Food Protection* 60(4): 407-413.

JODIUM & SCHILDKLIER

- Cammelbeeck (2017). Risico op een jodiumtekort. Wie moet bijslikken? *Gezondheids* oktober: 36-37.
- Davies e.a. (2016). Pathogenesis of Hashimoto's thyroiditis (chronic autoimmune thyroiditis). *UpToDate*. www.uptodate.com/contents/pathogenesis-of-hashimoto-thyroiditis-chronic-autoimmune-thyroiditis.

- Dogan e.a. (2011). The frequency of Hashimoto thyroiditis in children and the relationship between urinary iodine level and Hashimoto thyroiditis. *Journal of Pediatric Endocrinology and Metabolism* 24(1-2): 75-80.
- IQWIG (2014). Schilddrüsenunterfunktion (Hypothyreose). www.gesundheitsinformation.de/schilddruesenunterfunktion.2713.de.html.
- Lind e.a. (2002). Iodine supplementation in Austria: methods and results. *Thyroid* 12(10): 903-907.
- Pazirandeh e.a. (2016). Overview of dietary trace minerals. *UpToDate*. www.uptodate.com/contents/overview-of-dietary-trace-minerals.
- Pedersen e.a. (2007). An increased incidence of overt hypothyroidism after iodine fortification of salt in Denmark: a prospective population study. *The Journal of Clinical Endocrinology & Metabolism* 92(8): 3122-3127.
- Surks e.a. (2016). Iodine-induced thyroid dysfunction. *UpToDate*. www.uptodate.com/contents/iodine-induced-thyroid-dysfunction.
- Teng e.a. (2006). Effect of iodine intake on thyroid diseases in China. *The New England Journal of Medicine* 354(26): 2783-2793.
- Zimmermann e.a. (2003). Introduction of iodized salt to severely iodine-deficient children does not provoke thyroid autoimmunity: a one-year prospective trial in northern Morocco. *Thyroid* 13(2): 199-203.

KIEMEN EN KNOPPEN & GEMMOTHERAPIE

- Andrianne (2008). La gemmothérapie: passé, présent et avenir. *Phytothérapie* 6(1): 29-32.
- Andrianne e.a. (2008). Les bases de la prescription en gemmothérapie: paramètres biologiques sériques et phytosociologie. *Phytothérapie* 6(5): 301-305.

KIPPENSOEP & VERKOUDHEID

- IQWIG (2008). Erkältungen vorbeugen: Händewaschen schützt mehr als Vitamine. www.iqwig.de/de/presse/pressemitteilungen/pressemitteilungen/erkaltungen-vorbeugen-handewaschen-schutztmehr-als-vitamine.2342.html.
- Pappas e.a. (2016). The common cold in children: Management and prevention. *UpToDate*. www.uptodate.com/contents/the-common-cold-in-children-management-and-prevention.
- Rennard e.a. (2000). Chicken soup inhibits neutrophil chemotaxis in vitro. *Chest* 118(4): 1150-1157.
- Sexton e.a. (2016). The common cold in adults: Treatment and prevention. *UpToDate*. www.uptodate.com/contents/the-common-cold-in-adults-treatment-and-prevention.

KLEUR VAN HET BORD & EETGEDRAG

- Bruno e.a. (2013). The effect of the color red on consuming food does not depend on achromatic (Michelson) contrast and extends to rubbing cream on the skin. *Appetite* 71: 307-313.
- Clysdale (1993). Color as a factor in food choice. *Critical Reviews in Food Science and Nutrition* 33(1): 83-101.
- Genschow e.a. (2012). The color red reduces snack food and soft drink intake. *Appetite* 58(2): 699-702.
- Harrar e.a. (2013). The taste of cutlery: how the taste of food is affected by the weight, size, shape, and colour of the cutlery used to eat it. *Flavour* 2: 21.

KLEURSTOFFEN IN LEVENSMIDDELEN & ADHD

- Ardern (2006). Tartrazine exclusion for allergic asthma. *The Cochrane Database of Systematic Reviews* 4: CD000460.
- EFSA (2013). Food Colours. www.efsa.europa.eu/en/faqs/faqfoodcolours.html.
- EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA) (2010). Scientific Opinion on the appropriateness of the food azo-colours Tartrazine (E 102), Sunset Yellow FCF (E 110), Carmoisine (E 122), Amaranth (E 123), Ponceau 4R (E 124), Allura Red AC (E 129), Brilliant Black BN (E 151), Brown FK (E 154), Brown HT (E 155) and Litholrubine BK (E 180) for inclusion in the list of food ingredients set up in Annex IIIa of Directive 2000/13/EC. *EFSA Journal* 8(10): 1778.
- EFSA Panel on Food Additives and Nutrient Sources added to Food (ANS) (2013). Statement on Allura Red AC and other sulphonated mono azo dyes authorised as food and feed additives. *EFSA Journal* 11(6): 3234.
- Fassold e.a. (1999). *Azofarbstoffe in Leder und Textilien*. www.umweltbundesamt.at/fileadmin/site/publikationen/R159.pdf.
- Feng e.a. (2012). Toxicological significance of azo dye metabolism by human intestinal microbiota. *Frontiers in bioscience (Elite edition)* 4: 568-586.
- Krull e.a. (2016). Attention deficit hyperactivity disorder in children and adolescents: Epidemiology and pathogenesis. *UpToDate*. www.uptodate.com/contents/attention-deficit-hyperactivity-disorder-in-children-and-adolescents-epidemiology-and-pathogenesis.
- McCann e.a. (2007). Food additives and hyperactive behaviour in 3-year-old and 8/9-year-old children in the community: a randomised, double-blinded, placebo-controlled trial. *Lancet* 370 (9598): 1560-1567.
- Nigg e.a. (2012). Meta-analysis of attention-deficit/hyperactivity disorder or attention-deficit/hyperactivity disorder symptoms, restriction diet, and synthetic food color additives. *Journal of the American Academy of Child & Adolescent Psychiatry*'s 51(1): 86-97.e8.

- Simon e.a. (2016). Allergic and asthmatic reactions to food additives. *UpToDate*. www.uptodate.com/contents/allergic-and-asthmatic-reactions-to-food-additives.
- Sonuga-Barke e.a. (2013). Nonpharmacological interventions for ADHD: systematic review and meta-analyses of randomized controlled trials of dietary and psychological treatments. *The American Journal of Psychiatry* 170(3): 275-289.
- Voedingscentrum (z.j.). Azo-kleurstoffen. www.voedingscentrum.nl/encyclopedie/trefwoord/azo-kleurstoffen.aspx.

KNOFLOOK & BLOEDDRUK

- Basile e.a. (2016). Overview of hypertension in adults. *UpToDate*. www.uptodate.com/contents/overview-of-hypertension-in-adults.
- Rieder (2004). Awareness and control of hypertension in Austria. *Journal of human hypertension* 18(8): 535-537.
- Stabler (2012). Garlic for the prevention of cardiovascular morbidity and mortality in hypertensive patients. *The Cochrane Database of Systematic Reviews* 8: CD007653.

KOEMELK & BABY'S

- Bundesministerium für Gesundheit e.a. (2014). *Richtig essen von Anfang an. Babys erstes Löffelchen*. Wenen: AGES.
- Griebler e.a. (2016). Health effects of cow's milk consumption in infants up to 3 years of age: a systematic review and meta-analysis. *Public Health Nutrition* 19(2): 293-307.
- Hopkins e.a. (2015). Effects on childhood body habitus of feeding large volumes of cow or formula milk compared with breastfeeding in the latter part of infancy. *The American Journal of Clinical Nutrition* 102(5): 1096-1103.
- Powers e.a. (2016). Iron deficiency in infants and children <12 years: Screening, prevention, clinical manifestations, and diagnosis. *UpToDate*. www.uptodate.com/contents/iron-deficiency-in-infants-and-children-less-than12-years-screening-prevention-clinical-manifestations-and-diagnosis.
- Voedingscentrum (z.j.). Koemelkallergie (baby's en jonge kinderen). www.voedingscentrum.nl/encyclopedie/koemelkallergie.aspx.

KOEMELK & LACTOSE-INTOLERANTIE

- Höfer (2003). Das Kuhhorn als Beitrag zur Milchqualität. www.zalp.ch/aktuell/suppen/suppe_2003_05/su_ho.html.
- Jarvinen-Seppo (2016). Milk allergy: Clinical features and diagnosis. *UpToDate*. www.uptodate.com/contents/milk-allergy-clinical-features-and-diagnosis.

- Wohlers (2011). *Ermittlung geeigneter Methoden zur Differenzierung und Qualitätsbeurteilung unterschiedlicher Milchqualitäten aus verschiedenen on-farm-Experimenten*. Dissertation. Universität Kassel-Witzenhausen.

KOEMELK & SLIJMPRODUCTIE

- Bartley e.a. (2010). Does milk increase mucus production? *Medical hypotheses* 74(4): 732-734.
- Labonté e.a. (2013). Impact of dairy products on biomarkers of inflammation: a systematic review of randomized controlled nutritional intervention studies in overweight and obese adults. *American Journal of Clinical Nutrition* 97(4): 706-717.
- Thiara e.a. (2012). Milk consumption and mucus production in children with asthma. *Canadian Family Physician* 58(2): 165-166.

KOFFIE & ALZHEIMER

- Eskelinen e.a. (2009). Midlife coffee and tea drinking and the risk of late-life dementia: a population-based CAIDE study. *Journal of Alzheimers Disease* 16(1): 85-91.
- Ferri e.a. (2005). Global prevalence of dementia: a Delphi consensus study. *The Lancet* 366(9503): 2112-2117.
- Gezondheidsraad (2015). *Koffie. Achtergronddocument bij Richtlijnen goede voeding 2015*. www.gezondheidsraad.nl/sites/default/files/a1514_koffiea_0.pdf
- Gezondheidsraad (2015). *Richtlijnen goede voeding 2015*. www.gezondheidsraad.nl/nl/taak-werkwijze/werkterrein/gezonde-voeding/richtlijnen-goede-voeding-2015.
- Santos e.a. (2010). Caffeine intake and dementia: systematic review and meta-analysis. *Journal of Alzheimers Disease* 20 [Suppl 1]: S187-204.
- Wu e.a. (2016). Coffee intake and the incident risk of cognitive disorders: A dose-response meta-analysis of nine prospective cohort studies. *Clinical Nutrition* 36(3): 730-736.

KOFFIE & KANKER

- Bøhn e.a. (2014). Coffee and cancer risk, epidemiological evidence, and molecular mechanisms. *Molecular Nutrition & Food Research* 58(5): 915-930.
- Crippa e.a. (2014). Coffee consumption and mortality from all causes, cardiovascular disease, and cancer: a dose-response meta-analysis. *The American Journal of Epidemiol* 180(8): 763-775.
- Deutsches Krebsforschungszentrum (2011). Kaffee und Krebsrisiko. www.krebsinformationsdienst.de/vorbeugung/risiken/kaffee.php.
- Loomis e.a. (2016). Carcinogenicity of drinking coffee, mate, and very hot beverages. *The Lancet Oncology* 17(7): 877-878.

- Malerba e.a. (2008). A meta-analysis of prospective studies of coffee consumption and mortality for all causes, cancers and cardiovascular diseases. *European journal of Epidemiol* 28(7): 527-539.
- RIVM (2017). *Memo koffieconsumptie; Resultaten van VCP 2012-2014*. www.rivm.nl/Documenten_en_publicaties/Algemeen_Actueel/Uitgaven/Leefstijl_Voeding/VCP/Koffieconsumptie_in_Nederland.pdf.

KOFFIE & ZWANGERSCHAP

- Henderson-Smart e.a. (2010). Caffeine versus theophylline for apnea in preterm infants. *The Cochrane Database of Systematic Reviews* 1: CD000273.
- Jahanfar e.a. (2015). Effects of restricted caffeine intake by mother on fetal, neonatal and pregnancy outcomes. *The Cochrane Database of Systematic Reviews* 6: CD006965.
- Maslova e.a. (2010). Caffeine consumption during pregnancy and risk of preterm birth: a meta-analysis. *The American Journal of Clinical Nutrition* 92(5): 1120-1132.
- Rhee e.a. (2015). Maternal Caffeine Consumption during Pregnancy and Risk of Low Birth Weight: A Dose-Response Meta-Analysis of Observational Studies. *PLoS One* 10(7): e0132334.
- Silva e.a. (2013). Adenosine receptor antagonists including caffeine alter fetal brain development in mice. *Science Translational Medicine* 5(197): 197ra104.

KOKOSOLIE & ALZHEIMER

- De Souza e.a. (2015). Intake of saturated and trans unsaturated fatty acids and risk of all cause mortality, cardiovascular disease, and type 2 diabetes: systematic review and meta-analysis of observational studies. *BMJ* 351: h3978.
- Fernando e.a. (2015). The role of dietary coconut for the prevention and treatment of Alzheimer's disease: potential mechanisms of action. *British Journal of Nutrition* 114(1): 1-14.
- Henderson e.a. (2009). Study of the ketogenic agent AC-1202 in mild to moderate Alzheimer's disease: a randomized, double-blind, placebo-controlled, multicenter trial. *Nutrition & Metabolism* 6: 31.
- Hooper e.a. (2015). Reduction in saturated fat intake for cardiovascular disease. *The Cochrane Database of Systematic Reviews* 6: CD011737.
- Hu Yang e.a. (2015). Coconut oil: non-alternative drug treatment against alzheimer's disease. *Nutrición hospitalaria* 32(6): 2822-2827.
- IQWIG (2013). Alzheimer-Demenz. www.gesundheitsinformation.de/alzheimer-demenz.2219.de.html.

- Ohnuma e.a. (2016). Benefits of use, and tolerance of, medium-chain triglyceride medical food in the management of Japanese patients with Alzheimer's disease: a prospective, open-label pilot study. *Clinical interventions in aging* 11: 29-36.
- Österreichische Alzheimer-Gesellschaft (z.j.). Zahlen und Statistik. www.alzheimer-gesellschaft.at/informationen/zahlen-statistik/.
- Reger e.a. (2004). Effects of beta-hydroxybutyrate on cognition in memory-impaired adults. *Neurobiology of aging* 25(3): 311-314.

KOOLHYDRATEN & AFVALLEN

- Atallah e.a. (2014). Long-term effects of 4 popular diets on weight loss and cardiovascular risk factors: a systematic review of randomized controlled trials. *Circulation: Cardiovascular Quality and Outcomes* 7(6): 815-827.
- Bueno e.a. (2013). Very-low-carbohydrate ketogenic diet v. low-fat diet for long-term weight loss: a meta-analysis of randomised controlled trials. *British Journal of Nutrition*. 110(7): 1178-1187.
- Johnston e.a. (2014). Comparison of weight loss among named diet programs in overweight and obese adults: a meta-analysis. *JAMA* 312(9): 923-933.
- Liu e.a. (2016). Dietary carbohydrates. *UpToDate*. www.uptodate.com/contents/dietary-carbohydrates.
- Naude e.a. (2014). Low carbohydrate versus isoenergetic balanced diets for reducing weight and cardiovascular risk: a systematic review and meta-analysis. *PLoS One* 9(7): e100652.
- Perreault e.a. (2016). Obesity in adults: Overview of management. *UpToDate*. www.uptodate.com/contents/obesity-in-adults-overview-of-management.

KURKUMA & DEPRESSIE

- Benammi e.a. (2014). A blunted anxiolytic like effect of curcumin against acute lead induced anxiety in rat: involvement of serotonin. *Acta Histochemica* 116(5): 920-925.
- Bergman e.a. (2013). Curcumin as an add-on to antidepressive treatment: a randomized, double-blind, placebo-controlled, pilot clinical study. *Clinical Neuropharmacology* 36(3): 73-77.
- Esmaily e.a. (2015). An investigation of the effects of curcumin on anxiety and depression in obese individuals: A randomized controlled trial. *Chinese Journal of Integrative Medicine* 21(5): 332-338.
- European Medicines Agency (2009). *Assessment report on curcuma longa l. rhizoma*. Londen: European Medicines Agency.
- IQWiG (2009). Depression. www.gesundheitsinformation.de/depression.2125.de.html.

- IQWIG (2012). Behandlungsmöglichkeiten bei einer Depression. www.gesundheitsinformation.de/behandlungsmoeglichkeiten-bei-einer-depression.2125.de.html.
- IQWIG (2015). Wie wirksam sind Antidepressiva? www.gesundheitsinformation.de/wie-wirksam-sind-antidepressiva.2125.de.html.
- Lopresti e.a. (2014). Curcumin for the treatment of major depression: a randomised, double-blind, placebo controlled study. *Journal of affective disorders* 167: 368-375.
- Öffentliches Gesundheitsportal Österreichs (2015). Depression. www.gesundheit.gv.at/service/beratungsstellen/hilfe-bei-depression.
- Panahi e.a. (2014). Investigation of the efficacy of adjunctive therapy with bio-availability-boosted curcuminoids in major depressive disorder. *Phytotherapy Research* 29(1): 17-21.
- Sanmukhani e.a. (2013). Efficacy and safety of curcumin in major depressive disorder: a randomized controlled trial. *Phytotherapy Research* 28(4): 579-585.
- Seo e.a. (2015). Curcumin as a putative antidepressant. *Expert Review of Neurotherapeutics* 15(3): 269-280.
- Van Bruggen (2016). Hippe voedingsmiddelen. Wel/niet gezond? *Gezondgids* december: 38-42.
- Wang e.a. (2014). The effects of curcumin on depressive-like behavior in mice after lipopolysaccharide administration. *Behavioural Brain Research* 274: 282-290.
- Wu e.a. (2014). Curcumin boosts DHA in the brain: Implications for the prevention of anxiety disorders. *Biochimica et Biophysica Acta* 1852(5): 951-961.
- Yu e.a. (2015). Chronic Supplementation of Curcumin Enhances the Efficacy of Antidepressants in Major Depressive Disorder: A Randomized, Double-Blind, Placebo-Controlled Pilot Study. *Journal of Clinical Psychopharmacology* 35(4): 406-410.
- Zhao e.a. (2013). Chronic curcumin treatment normalizes depression-like behaviors in mice with mononeuropathy: involvement of supraspinal serotonergic system and GABAA receptor. *Psychopharmacology* 231(10): 2171-2187.

LACTASEPILLEN & LACTOSE-INTOLERANTIE

- Demory-Luce e.a. (2016). Vegetarian diets for children. *UpToDate*. www.uptodate.com/contents/vegetarian-diets-for-children.
- IQWIG (2015) Laktoseintoleranz. www.gesundheitsinformation.de/laktoseintoleranz.2113.de.html.
- Ojetti e.a. (2010). The effect of oral supplementation with *Lactobacillus reuteri* or tilactase in lactose intolerant patients: randomized trial. *European Review for Medical and Pharmacological Sciences* 14(3): 163-170.
- Shaukat e.a. (2010). Systematic review: effective management strategies for lactose intolerance. *Annals of Internal Medicine* 152(12): 797-803.

LIGHTDRANKEN & DIABETES

- Greenwood e.a. (2014). Association between sugar-sweetened and artificially sweetened soft drinks and type 2 diabetes: systematic review and dose-response meta-analysis of prospective studies. *British Journal of Nutrition* 112(5): 725-734.
- Imamura e.a. (2015). Consumption of sugar sweetened beverages, artificially sweetened beverages, and fruit juice and incidence of type 2 diabetes: systematic review, meta-analysis, and estimation of population attributable fraction. *BMJ* 351: h3576.
- McCulloch e.a. (2016) Risk factors for type 2 diabetes mellitus. *UpToDate*. www.uptodate.com/contents/risk-factors-for-type-2-diabetes-mellitus.

LIGHTDRANKEN & OVERGEWICHT

- Berkey e.a. (2004). Sugar-added beverages and adolescent weight change. *Obesity Research* 12(5): 778-788.
- Blum e.a. (2005). Beverage consumption patterns in elementary school aged children across a two-year period. *Journal of the American College of Nutrition* 24(2): 93-98.
- Brown e.a. (2010). Artificial sweeteners: a systematic review of metabolic effects in youth. *International Journal of Pediatric Obesity* 5(4): 305-312.
- Fowler e.a. (2008). Fueling the obesity epidemic? Artificially sweetened beverage use and long-term weight gain. *Obesity* 16(8): 1894-1900.
- Johnson e.a. (2007). Is sugar-sweetened beverage consumption associated with increased fatness in children? *Nutrition* 23(7-8): 557-563.
- Pan e.a. (2013). Changes in water and beverage intake and long-term weight changes: results from three prospective cohort studies. *International Journal of Obesity* 37(10): 1378-1385.
- Tate e.a. (2012). Replacing caloric beverages with water or diet beverages for weight loss in adults: main results of the Choose Healthy Options Consciously Everyday (CHOICE) randomized clinical trial. *American Journal of Clinical Nutrition* 95(3): 555-563.
- Wiebe e.a. (2011). A systematic review on the effect of sweeteners on glycemic response and clinically relevant outcomes. *BMC Medicine* 17(9): 123.

MAALTIJDVERVANGERS & AFVALLEN

- Berg e.a. (2005). Gewichtsreduktion durch Lebensstilintervention. *Ernährungs-Umschau* 52(8): 310-314.
- Bray e.a. (2016). Patient education: Weight loss treatments (Beyond the Basics). *UpToDate*. www.uptodate.com/contents/weight-loss-treatments-beyond-the-basics.

- Cammelbeeck (2016). Gezond afvallen doe je er niet mee. *Gezondgids juni*: 36-39.
- Dansinger e.a. (2005). Comparison of the Atkins, Ornish, Weight Watchers, and Zone diets for weight loss and heart disease risk reduction: a randomized trial. *JAMA* 293(1): 43-53.
- Deibert e.a. (2004). Weight loss without losing muscle mass in pre-obese and obese subjects induced by a high-soy-protein diet. *International journal of obesity and related metabolic disorders* 28(10): 1349-1352.
- König e.a. (2004). Effect of meal replacement on metabolic risk factors in overweight and obese subjects. *Annals of Nutrition and Metabolism* 52(1): 74-78.
- IQWIG (2014). Wie kann man den Blutdruck ohne Medikamente senken? www.gesundheitsinformation.de/wie-kann-man-den-blutdruck-ohne-medikamente-senken.2083.de.html.

MAGNETRON & GEZONDHEID

- Begum e.a. (2001). Physical, chemical and sensory quality of microwave-blanched snow peas. *Journal of Food Quality* 24(6): 1-15.
- Cross e.a. (1982). The effect of microwaves on nutrient value of foods. *Critical Reviews in Food Science and Nutrition* 16(4): 355-381.
- Faller e.a. (2009). The antioxidant capacity and polyphenol content of organic and conventional retail vegetables after domestic cooking. *Food Research International* 42(1): 210-215.
- Ferrarini e.a. (2012). Anti-proliferative activity and chemoprotective effects towards DNA oxidative damage of fresh and cooked Brassicaceae. *British Journal of Nutrition* 107(9): 1324-1332.
- Galgano e.a. (2007). The influence of processing and preservation on the retention of health-promoting compounds in broccoli. *Journal of food science* 72(2): S130-135.
- Jiménez-Monreal e.a. (2009). Influence of cooking methods on antioxidant activity of vegetables. *Journal of food science* 74(3): H97-H103.
- Jonker e.a. (1995). Human diets cooked by microwave or conventionally: comparative sub-chronic (13-wk) toxicity study in rats. *Food and Chemical Toxicology* 33(4): 245-256.
- Natella e.a. (2010). Microwave and traditional cooking methods: effect of cooking on antioxidant capacity and phenolic compounds content of seven vegetables. *Journal of Food Biochemistry* 34(4): 796-810.
- Pellegrini e.a. (2010). Effect of different cooking methods on color, phytochemical concentration, and antioxidant capacity of raw and frozen brassica vegetables. *Journal of Agricultural and Food Chemistry* 58(7): 4310-4321.

- Rungapamestry e.a. (2006). Changes in glucosinolate concentrations, myrosinase activity, and production of metabolites of glucosinolates in cabbage (*Brassica oleracea* Var. *capitata*) cooked for different durations. *Journal of Agricultural and Food Chemistry* 54(20): 7628-7634.
- Song e.a. (2007). Effect of storage, processing and cooking on glucosinolate content of Brassica vegetables. *Food and Chemical Toxicology* 45(2): 216-224.
- Vallejo e.a. (2002). Glucosinolates and vitamin C content in edible parts of broccoli florets after domestic cooking. *European Food Research and Technology* 215(4): 310-316.
- Villanueva e.a. (2000). Modification of vitamins B1 and B2 by culinary processes: traditional systems and microwaves. *Food Chemistry* 71(4): 417-421.
- Wang e.a. (2012). Impact of thermal processing on sulforaphane yield from broccoli (*Brassica oleracea* L. ssp. *italica*). *Journal of Agricultural and Food Chemistry* 60(27): 6743-6748.
- Yuan e.a. (2009). Effects of different cooking methods on health-promoting compounds of broccoli. *Journal of Zhejiang University* 10(8): 580-588.

MEDITERRAAN DIEET & HART- EN VAATZIEKTEN

- Estruch e.a. (2013). Primary prevention of cardiovascular disease with a Mediterranean diet. *The New England Journal of Medicine* 368(14): 1279-1290.
- Mentz e.a. (2009). A systematic review of the evidence supporting a causal link between dietary factors and coronary heart disease. *Archives of internal medicine* 169(7): 659-669.
- Rees e.a. (2013). 'Mediterranean' dietary pattern for the primary prevention of cardiovascular disease. *The Cochrane Database of Systematic Reviews* 8: CD009825.
- Sofi e.a. (2008). Adherence to Mediterranean diet and health status: meta-analysis. *BMJ* 337: a1344.
- Sofi e.a. (2010). Accruing evidence on benefits of adherence to the Mediterranean diet on health: an updated systematic review and meta-analysis. *American Journal of Clinical Nutrition* 92(5): 1189-1196.

MELKPRODUCTEN & BOTDICHTHEID

- Avenell e.a. (2014). Vitamin D and vitamin D analogues for preventing fractures in post-menopausal women and older men. *The Cochrane Database of Systematic Reviews* 4: CD000227.
- Bischoff-Ferrari e.a. (2011). Milk intake and risk of hip fracture in men and women: a meta-analysis of prospective cohort studies. *Journal of bone and mineral research* 26(4): 833-839.

- Demory-Luce e.a. (2016). Vegetarian diets for children. *UpToDate*. www.uptodate.com/contents/vegetarian-diets-for-children.
- Howe e.a. (2011). Exercise for preventing and treating osteoporosis in postmenopausal women. *The Cochrane Database of Systematic Reviews* 7: CD000333.
- IQWIG (2014). Osteoporose. www.gesundheitsinformation.de/osteoporose.2610.de.html.
- IQWIG (2014). Wie kann ich meinen Kalziumbedarf decken? www.gesundheitsinformation.de/wie-kann-ich-meinen-kalziumbedarf-decken.2192.de.html.
- Ma e.a. (2013). Survey of current enteral nutrition practices in treatment of amyotrophic lateral sclerosis. *e-SPEN journal* 8(1): e25-e28.
- Manolagas e.a. (2016). Pathogenesis of osteoporosis. *UpToDate*. www.uptodate.com/contents/pathogenesis-of-osteoporosis.
- Michaëlsson e.a. (2014). Milk intake and risk of mortality and fractures in women and men: cohort studies. *BMJ* 349: g6015.
- Sahni e.a. (2014). Protective association of milk intake on the risk of hip fracture: results from the Framingham Original Cohort. *Journal of Bone and Mineral Research* 29(8): 1756-1762.

MSM & ARTROSE

- Brien e.a. (2008). Systematic review of the nutritional supplements dimethyl sulfoxide (DMSO) and methylsulfonylmethane (MSM) in the treatment of osteoarthritis. *Osteoarthritis and cartilage* 16(11): 1277-1288.
- Debbi e.a. (2011). Efficacy of methylsulfonylmethane supplementation on osteoarthritis of the knee: a randomized controlled study. *BMC Complementary and alternative medicine* 11: 50.
- IQWIG (2014). Arthrose. www.gesundheitsinformation.de/arthrose.2700.de.html.
- National Institutes of Health (2014). Osteoarthritis: In Depth. nccih.nih.gov/health/arthrit/osteoarthritis.
- National Institutes of Health (2015). Dimethyl Sulfoxide (DMSO) and Methylsulfonylmethane (MSM) for Osteoarthritis. nccih.nih.gov/health/supplements/dmso-msm.
- Pagonis e.a. (2014). The Effect of Methylsulfonylmethane on Osteoarthritic Large Joints and Mobility. *International Journal of Orthopaedics* 1(1): 19-24.
- Tsui e.a. (2012). Understanding the role of scientific evidence in consumer evaluation of natural health products for osteoarthritis an application of the means end chain approach. *BMC complementary and alternative medicine* 12: 198.

MULTIVITAMINEN & GEZONDHEID

- Bjelakovic e.a. (2012). Antioxidant supplements for prevention of mortality in healthy participants and patients with various diseases. *The Cochrane Database of Systematic Reviews* 3: CD007176.
- Bjelakovic e.a. (2014). Analysis of the Cochrane Review: thrombolysis for acute deep vein thrombosis. *The Cochrane Database of Systematic Reviews* 1: CD007470.
- Curtis e.a. (2014). Vitamin E supplementation and mortality in healthy people: a meta-analysis of randomised controlled trials. *Cardiovascular drugs and therapy* 28(6): 563-573.
- Fortmann e.a. (2013). Vitamin and mineral supplements in the primary prevention of cardiovascular disease and cancer: An updated systematic evidence review for the U.S. Preventive Services Task Force. *Annals of internal medicine* 159(12): 824-834.
- Hagenau e.a. (2009). Global vitamin D levels in relation to age, gender, skin pigmentation and latitude: an ecologic meta-regression analysis. *Osteoporosis international* 20(1): 133-40.

OMEGA 3-VETTEN & HART- EN VAARTZIEKTEN

- Aung e.a. (2018). Associations of Omega-3 Fatty Acid Supplement Use With Cardiovascular Disease Risks. *JAMA Cardiology* Jan 31.
- Chowdhury e.a. (2013). Association between fish consumption, long chain omega 3 fatty acids, and risk of cerebrovascular disease: systematic review and meta-analysis. *BMJ* 345: e6698.
- Delgado-Lista e.a. (2012). Long chain omega-3 fatty acids and cardiovascular disease: a systematic review. *British Journal of Nutrition* 107 [Suppl 2]: S201-213.
- EFSA Panel on Dietetic Products, Nutrition, and Allergies (2010). Scientific Opinion on Dietary Reference Values for fats, including saturated fatty acids, polyunsaturated fatty acids, monounsaturated fatty acids, trans fatty acids, and cholesterol. *EFSA Journal* 8(3): 1461.
- Enns e.a. (2014). The impact of omega-3 polyunsaturated fatty acid supplementation on the incidence of cardiovascular events and complications in peripheral arterial disease: a systematic review and meta-analysis. *BMC Cardiovascular disorders* 14: 70.
- Gezondheidsraad (2015). *Richtlijnen goede voeding 2015*. www.gezondheidsraad.nl/nl/taak-werkwijze/werkterrein/gezonde-voeding/richtlijnen-goede-voeding-2015.
- Kotwal e.a. (2012). Omega 3 Fatty acids and cardiovascular outcomes: systematic review and meta-analysis. *Circulation, Cardiovascular Quality and Outcomes* 5(6): 808-818.

- Kwak e.a. (2012). Efficacy of omega-3 fatty acid supplements (eicosapentaenoic acid and docosahexaenoic acid) in the secondary prevention of cardiovascular disease: a meta-analysis of randomized, double-blind, placebo-controlled trials. *Archives of Internal Medicine* 172(9): 686-694.
- Li e.a. (2013). Fish consumption and incidence of heart failure: a meta-analysis of prospective cohort studies. *Chinese medical journal* 126(5): 942-948.
- Lichtenstein e.a. (2006). Diet and lifestyle recommendations revision 2006: a scientific statement from the American Heart Association Nutrition Committee. *Circulation* 114: 82-96.
- Mozaffarian e.a. (2016). Fish oil and marine omega-3 fatty acids. *UpToDate*. www.uptodate.com/contents/fish-oil-and-marine-omega-3-fatty-acids.
- Rizo e.a. (2012). Association between omega-3 fatty acid supplementation and risk of major cardiovascular disease events: a systematic review and meta-analysis. *JAMA* 308(10): 1024-1033.
- Trikalinos e.a. (2013). *Empirical and Simulation-Based Comparison of Univariate and Multivariate Meta-Analysis for Binary Outcomes*. Agency for Healthcare Research and Quality.
- Wen e.a. (2014). Effects of Omega-3 fatty acid on major cardiovascular events and mortality in patients with coronary heart disease: a meta-analysis of randomized controlled trials. *Nutrition, Metabolism & Cardiovascular Diseases* 24(5): 470-475.
- Zheng e.a. (2011). Fish consumption and CHD mortality: an updated meta-analysis of seventeen cohort studies. *Public Health Nutrition* 15(4): 725-737.

ONTBIJT OVERSLAAN & RISICO OP HARTINFARCT

- Cahill e.a. (2013). Prospective study of breakfast eating and incident coronary heart disease in a cohort of male US health professionals. *Circulation* 128(4): 337-343.
- Horikawa e.a. (2011). Skipping breakfast and prevalence of overweight and obesity in Asian and Pacific regions: a meta-analysis. *Preventive medicine* 53(4-5): 260-267.
- Mestas e.a. (2012). Selected eating behaviours and excess body weight: a systematic review. *Obesity reviews* 13(2): 106-135.
- Szajewska e.a. (2010). Systematic review demonstrating that breakfast consumption influences body weight outcomes in children and adolescents in Europe. *Critical Reviews in Food Science and Nutrition* 50(2): 113-119.

ONVERZADIGDE VETZUREN & HART- EN VAARTZIEKTEN

- Chowdhury e.a. (2014). Association of dietary, circulating, and supplement fatty acids with coronary risk: a systematic review and meta-analysis. *Annals of internal medicine* 160(6): 398-406.

- Gezondheidsraad (2015). *Richtlijnen goede voeding 2015*. www.gezondheidsraad.nl/taak-werkwijze/werkterrein/gezonde-voeding/richtlijnen-goede-voeding-2015.
- Hooper e.a. (2012). Reduced or modified dietary fat for preventing cardiovascular disease. *The Cochrane Database of Systematic Reviews* 5: CD002137.
- Hooper e.a. (2015). Reduction in saturated fat intake for cardiovascular disease. *The Cochrane Database of Systematic Reviews* 6: CD011737.
- Mozaffarian e.a. (2016). Dietary fat. *UpToDate*. www.uptodate.com/contents/dietary-fat.

PLANTENEXTRACTEN & AFVALLEN

- Astell e.a. (2013). Plant extracts with appetite suppressing properties for body weight control: a systematic review of double blind randomized controlled clinical trials. *Complementary Therapies in Medicine* 21(4): 407-416.
- Bray (2016). Patient education: Weight loss treatments (Beyond the Basics). *UpToDate*. www.uptodate.com/contents/weight-loss-treatments-beyond-the-basics.
- Bundesministerium für Gesundheit (2012). Österreichischer Ernährungsbericht 2012. www.bmg.gv.at/cms/home/attachments/4/5/3/CH1048/CMS1348749794860/oeb12.pdf.
- Huntington e.a. (2010). Weight-loss supplements: what is the evidence? *South Dakota Medicine* 63(6): 205-207.
- Jurgens e.a. (2012). Green tea for weight loss and weight maintenance in overweight or obese adults. *The Cochrane Database of Systematic Reviews* 12: CD008650.
- Manore (2012). Dietary supplements for improving body composition and reducing body weight: where is the evidence? *International Journal of Sport Nutrition and Exercise Metabolism* 22(2): 139-154.
- National Institutes of Health (2015). Dietary Supplements for Weight Loss. www.ods.od.nih.gov/factsheets/WeightLoss-HealthProfessional/.
- Onakpoya e.a. (2011). Food supplements for body weight reduction: a systematic review of systematic reviews. *Obesity* 19(2): 239-244.
- Onakpoya e.a. (2013). Chromium supplementation in overweight and obesity: a systematic review and meta-analysis of randomized clinical trials. *Obesity Reviews* 14(6): 496-507.
- Onakpoya e.a. (2013). The efficacy of *Irvingia gabonensis* supplementation in the management of overweight and obesity: a systematic review of randomized controlled trials. *Journal of Dietary Supplements* 10(1): 29-38.
- Perreault (2016). Obesity in adults: Dietary therapy. *UpToDate*. www.uptodate.com/contents/obesity-in-adults-dietary-therapy.

- Pittler e.a. (2005). Adverse events of herbal food supplements for body weight reduction: systematic review. *Obesity Reviews* 6(2): 93-111.

PLANTENSTEROLEN & CHOLESTEROL

- Genser e.a. (2012). Plant sterols and cardiovascular disease: a systematic review and meta-analysis. *European Heart Journal* 33(4): 444-451.
- Korpela e.a. (2006). Safety aspects and cholesterol-lowering efficacy of low fat dairy products containing plant sterols. *European Journal of Clinical Nutrition* 60(5): 633-642.
- Musa-Veloso e.a. (2011). A comparison of the LDL-cholesterol lowering efficacy of plant stanols and plant sterols over a continuous dose range: results of a meta-analysis of randomized, placebo-controlled trials. *Prostaglandin Leukotrienes, and Essential Fatty Acids* 85(1): 9-28.
- Rosenson e.a. (2016). Patient education: High cholesterol treatment options (Beyond the Basics). *UpToDate*. www.uptodate.com/contents/high-cholesterol-and-lipids-hyperlipidemia-beyond-the-basics.
- Tangney e.a. (2016). Lipid lowering with diet or dietary supplements. *UpToDate*. www.uptodate.com/contents/lipid-lowering-with-diet-or-dietary-supplements.
- Wu e.a. (2012). The effects of phytosterols/stanols on blood lipid profiles: a systematic review with meta-analysis. *Asia Pacific journal of clinical nutrition* 18(2): 179-186.

PORTIEGROOTTE & OVERGEWICHT

- Hollands e.a. (2015). Portion, package or tableware size for changing selection and consumption of food, alcohol and tobacco. *The Cochrane Database of Systematic Reviews* 9: CD011045.

PROBIOTICA & CONSTITUTIONEEL ECZEEM

- Allen e.a. (2014). Probiotics in the prevention of eczema: a randomised controlled trial. *Archives of Disease in Childhood* 99(11): 1014-1019.
- Bundesinstitut für Risikobewertung (2012). Unterschiede in der Zusammensetzung von Muttermilch und industriell hergestellter Säuglingsanfangs- und Folgenahrung und Auswirkungen auf die Gesundheit von Säuglingen. www.bfr.bund.de/cm/343/unterschiede-in-der-zusammensetzung-von-muttermilch-und-industriell-hergestellter-saeuglingsanfangs-und-folgenahrung.pdf.
- Dugoua e.a. (2009). Probiotic safety in pregnancy: a systematic review and meta-analysis of randomized controlled trials of *Lactobacillus*, *Bifidobacterium*, and *Saccharomyces* spp. *Journal of Obstetrics and Gynaecology Canada* 31(6): 542-552.

- Hörmannsperger e.a. (2012). Probiotika: Anforderungen und Wirkmechanismen. *Pharmazie in unserer Zeit* 41(2): 117-122.
- Öffentliches Gesundheitsportal Österreichs (2015). Neurodermitis: Was ist das? www.gesundheit.gv.at/Portal.Node/ghp/public/content/hauterkrankungen-was-ist-neurodermitis.html.
- Osborn e.a. (2009). Probiotics in infants for prevention of allergic disease and food hypersensitivity. *The Cochrane Database of Systematic Reviews* 4: CD006475.
- Pelucchi e.a. (2012). Probiotics supplementation during pregnancy or infancy for the prevention of atopic dermatitis: a meta-analysis. *Epidemiology* 23(3): 402-414.
- Prescott e.a. (2016). Prebiotics and probiotics for treatment of allergic disease. *UpToDate*. www.uptodate.com/contents/prebiotics-and-probiotics-for-treatment-of-allergic-disease.
- Pschyrembel e.a. (2014). *Klinisches Wörterbuch*. Berlin: De Gruyter.
- West e.a. (2016). Prebiotics and probiotics for prevention of allergic disease. *UpToDate*. www.uptodate.com/contents/prebiotics-and-probiotics-for-prevention-of-allergic-disease.
- Weston e.a. (2016). Atopic dermatitis (eczema): Pathogenesis, clinical manifestations, and diagnosis. *UpToDate*. www.uptodate.com/contents/atopic-dermatitis-eczema-pathogenesis-clinical-manifestations-and-diagnosis.
- Weston e.a. (2016). Treatment of atopic dermatitis (eczema). *UpToDate*. www.uptodate.com/contents/treatment-of-atopic-dermatitis-eczema.
- Zuccotti e.a. (2015). Probiotics for prevention of atopic diseases in infants: systematic review and meta-analysis. *Allergy* 70(11): 1356-1371.

PROTEÏNESUPPLEMENTEN & SPIEROPBOUW

- Bundesministerium für Gesundheit (2012). Österreichischer ernährungsbericht 2012. www.bmgf.gv.at/cms/home/attachments/4/5/3/CH1048/CMS1348749794860/oeb12.pdf.
- Cermak e.a. (2013). Protein supplementation augments the adaptive response of skeletal muscle to resistance-type exercise training: a meta-analysis. *The American Journal of Clinical Nutrition* 96(6): 1454-1464.
- Deutsche Gesellschaft für Ernährung (2016). Referenzwerte für die Nährstoffzufuhr Protein. www.dge.de/wissenschaft/referenzwerte/protein.
- Finger e.a. (2015). Effects of protein supplementation in older adults undergoing resistance training: a systematic review and meta-analysis. *Sports Medicine* 45(2): 245-255.
- Howard e.a. (2016). Overtraining syndrome in athletes. *UpToDate*. www.uptodate.com/contents/overtraining-syndrome-in-athletes.

- Schoenfeld e.a. (2013). The effect of protein timing on muscle strength and hypertrophy: a meta-analysis. *Journal of the International Society of Sports Nutrition* 10(1): 53.
- Tang e.a. (2009). Maximizing muscle protein anabolism: the role of protein quality. *Current Opinion in Clinical Nutrition & Metabolic Care* 12(1): 66-71.

RAW FOOD & GEZONDHEID

- Agren e.a. (2001). Divergent changes in serum sterols during a strict uncooked vegan diet in patients with rheumatoid arthritis. *British Journal of Nutrition* 85(2): 137-139.
- Biesalski e.a. (2010). *Ernährungsmedizin*. Stuttgart: Georg Thieme Verlag.
- Fontana e.a. (2005). Low bone mass in subjects on a long-term raw vegetarian diet. *Archives of Internal Medicine* 165(6): 684-689.
- Fontana e.a. (2007). Long-term low-calorie low-protein vegan diet and endurance exercise are associated with low cardiometabolic risk. *Rejuvenation Research* 10(2): 225-234.
- Koebnick e.a. (1999). Consequences of a long-term raw food diet on body weight and menstruation: results of a questionnaire survey. *Annals of Nutrition and Metabolism* 43(2): 69-79.
- Koebnick e.a. (2005). Long-term consumption of a raw food diet is associated with favorable serum LDL cholesterol and triglycerides but also with elevated plasma homocysteine and low serum HDL cholesterol in humans. *Journal of Nutrition* 135(10): 2372-2378.
- Leitzmann e.a. (2009). *Ernährung in Prävention und Therapie*. Stuttgart: Hippokrates Verlag.
- Nenonen e.a. (1998). Uncooked, lactobacilli-rich, vegan food and rheumatoid arthritis. *British Journal of Rheumatology* 37(3): 274-281.
- Österreichische Gesellschaft für Ernährung (2017). Die 10 Ernährungsregeln der ÖGE. www.oege.at/index.php/wissenschaft-forschung/empfehlungen/2-uncategorised/1126-empfehlungen-10-regeln-dge.

RIBOSE & HARTPROBLEMEN

- Ammon e.a. (2014). *Hunnius Pharmazeutisches Wörterbuch* (11^e druk). Berlijn: De Gruyter.
- Gonzalez e.a. (2009). Ribose treatment reduced the infarct size and improved heart function after myocardial infarction in rats. *Cellular Physiology and Biochemistry* 24(3-4): 211-218.

- Ingwall e.a. (2004). Is the failing heart energy starved? On using chemical energy to support cardiac function. *Circulation Research* 95(2): 135-145.
- Omran e.a. (2003). D-Ribose improves diastolic function and quality of life in congestive heart failure patients: a prospective feasibility study. *European Journal of Heart Failure* 5(5): 615-619.
- Pasque e.a. (1982). Ribose-enhanced myocardial recovery following ischemia in the isolated working rat heart. *The Journal of Thoracic and Cardiovascular Surgery* 83(3): 390-398.
- Pliml e.a. (1992). Effects of ribose on exercise-induced ischaemia in stable coronary artery disease. *The Lancet* 340(8818): 507-510.
- Pschyrembel e.a. (2014). *Klinisches Wörterbuch*. Berlijn: De Gruyter.
- Seifert e.a. (2008). Assessment of Hematological and Biochemical parameters with extended D-Ribose ingestion. *Journal of the International Society of Sports Nutrition* 5: 13.
- Shecterle e.a. (2010). The patented uses of D-ribose in cardiovascular diseases. *Recent Patents on Cardiovascular Drug Discovery* 5(2): 138-142.
- Shecterle e.a. (2012). Myocardial Ischemia: Alterations in Myocardial Cellular Energy and Diastolic Function, a Potential Role for D-Ribose. In: *Novel Strategies in Ischemic Heart Disease*, U. Lakshmanadoss (ed.): 219-228.
- St. Cyr e.a. (1989). Enhanced high energy phosphate recovery with ribose infusion after global myocardial ischemia in a canine model. *Journal of Surgical Research* 46(2): 157-162.
- Zimmer (1983). Normalization of depressed heart function in rats by ribose. *Science* 220(4592): 81-82.
- Zimmer e.a. (1978). Stimulation of myocardial adenine nucleotide biosynthesis by pentoses and pentitols. *Pflügers Archiv: European Journal of Physiology* 376(3): 223-227.
- Zimmer e.a. (1989). Myocardial infarction in rats: effects of metabolic and pharmacologic interventions. *Basic Research in Cardiology* 84(3): 332-343.

RODE WIJN & GEZONDHEID

- Brien e.a. (2011). Effect of alcohol consumption on biological markers associated with risk of coronary heart disease: systematic review and meta-analysis of interventional studies. *BMJ* 342: d636.
- Costanzo e.a. (2011). Wine, beer or spirit drinking in relation to fatal and non-fatal cardiovascular events: a meta-analysis. *European Journal of Epidemiology* 26(11): 833-850.

- Fillmore e.a. (2006). Moderate alcohol use and reduced mortality risk: Systematic error in prospective studies. *Addiction Research & Theory* 14(2): 101-132.
- Huang e.a. (2014). Association between alcohol consumption and risk of cardiovascular disease and all-cause mortality in patients with hypertension: a meta-analysis of prospective cohort studies. *Mayo Clinic Proceedings* 89(9): 1201-1210.
- Mukamal e.a. (2016). Overview of the risks and benefits of alcohol consumption. *UpToDate*. www.uptodate.com/contents/overview-of-the-risks-and-benefits-of-alcohol-consumption.
- Roerecke e.a. (2012). The cardioprotective association of average alcohol consumption and ischaemic heart disease: a systematic review and meta-analysis. *Addiction* 107(7): 1246-1260.
- Ronksley e.a. (2011). Association of alcohol consumption with selected cardiovascular disease outcomes: a systematic review and meta-analysis. *BMJ* 342: d671.
- Saitz e.a. (2016). Screening for unhealthy use of alcohol and other drugs in primary care. *UpToDate*. www.uptodate.com/contents/screening-for-unhealthy-use-of-alcohol-and-other-drugs-in-primary-care.

ROOD VLEES & GEZONDHEID

- Colditz e.a. (2016). Healthy diet in adults. *UpToDate*. www.uptodate.com/contents/healthy-diet-in-adults.
- DiNicolantonio e.a. (2013). L-carnitine in the secondary prevention of cardiovascular disease: systematic review and meta-analysis. *Mayo Clinic Proceedings* 88(6): 544-551.
- Gezondheidsraad (2015). *Richtlijnen goede voeding 2015*. www.gezondheidsraad.nl/taak-werkwijze/werkterrein/gezonde-voeding/richtlijnen-goede-voeding-2015.
- Kaluza e.a. (2012). Red meat consumption and risk of stroke: a meta-analysis of prospective studies. *Stroke* 43(10): 2556-2560.
- Koeth e.a. (2013). Intestinal microbiota metabolism of L-carnitine, a nutrient in red meat, promotes atherosclerosis. *Nature Medicine* 19(5): 576-585.
- Lippi e.a. (2015). Red meat consumption and ischemic heart disease. A systematic literature review. *Meat Science* 108: 32-36.
- Micha e.a. (2010). Red and processed meat consumption and risk of incident coronary heart disease, stroke, and diabetes mellitus: a systematic review and meta-analysis. *Circulation* 121(21): 2271-2283.
- Nagao e.a. (2012). Meat consumption in relation to mortality from cardiovascular disease among Japanese men and women. *European Journal of Clinical Nutrition* 66(6): 687-693.



- Pan e.a. (2012). Red meat consumption and mortality: results from 2 prospective cohort studies. *Archives of Internal Medicine* 172(7): 555-563.
- Wasserstein e.a. (2016). Carnitine metabolism in renal disease and dialysis. *UpToDate*. www.uptodate.com/contents/carnitine-metabolism-in-renal-disease-and-dialysis.
- World Health Organization (WHO) (2015). *Q&A on the carcinogenicity of the consumption of red meat and processed meat*. www.who.int/features/qa/cancer-red-meat/en/.

SMOOTHIES & GEZONDHEID

- Miller e.a. (2012). Phytochemicals and cancer risk: a review of the epidemiological evidence. *Nutrition in Clinical Practice* 27(5): 599-612.

SOJAPRODUCTEN & SCHILDKLIJER

- Bundesinstitut für Risikoforschung (2007). Isolierte Isoflavone sind nicht ohne Risiko. www.bfr.bund.de/cm/343/isolierte_isoflavone_sind_nicht_ohne_risiko.pdf.
- D'Adamo e.a. (2014). Soy foods and supplementation: a review of commonly perceived health benefits and risks. *Alternative Therapies in Health and Medicine* 20: 39-51.
- IQWiG (2014). Schilddrüsenunterfunktion (Hypothyreose). www.gesundheitsinformation.de/schilddruesenunterfunktion.2713.de.html.
- Messina e.a. (2006). Effects of soy protein and soybean isoflavones on thyroid function in healthy adults and hypothyroid patients: a review of the relevant literature. *Thyroid* 16(3): 249-258.
- Messina e.a. (2010). The role of soy in vegetarian diets. *Nutrients* 2(8): 855-888.
- National Institutes of Health (2012). Soy. www.nccih.nih.gov/health/soy/atag glance.htm.
- National Institutes of Health (2013). Hypothyroidism. www.niddk.nih.gov/health-information/health-topics/endocrine/hypothyroidism/Documents/Hypothyroidism_508.pdf.
- National Institutes of Health (2014). Hashimoto's Disease. www.niddk.nih.gov/health-information/health-topics/endocrine/hashimotos-disease/Documents/hashimoto_508.pdf.
- Ross e.a. (2016). Patient education: Hypothyroidism (underactive thyroid) (Beyond the Basics). *UpToDate*. www.uptodate.com/contents/hypothyroidism-underactive-thyroid-beyond-the-basics.
- Ross e.a. (2016). Subclinical hypothyroidism in nonpregnant adults. *UpToDate*. www.uptodate.com/contents/subclinical-hypothyroidism-in-nonpregnant-adults.

- Sathyapalan e.a. (2011). The effect of soy phytoestrogen supplementation on thyroid status and cardiovascular risk markers in patients with subclinical hypothyroidism: a randomized, double-blind, crossover study. *The Journal of Clinical Endocrinology & Metabolism* 96(5): 1442-1449.

STEVIA & GEZONDHEID

- Brown e.a. (2012). Non-nutritive sweeteners and their role in the gastrointestinal tract. *The Journal of Clinical Endocrinology & Metabolism* 97(8): 2597-2605.
- Pezzuto e.a. (1985). Metabolically activated steviol, the aglycone of stevioside, is mutagenic. *Proceedings of the National Academy of Sciences of the United States of America* 82(8): 2478-2482.
- Ulbricht e.a. (2010). An evidence-based systematic review of stevia by the Natural Standard Research Collaboration. *Cardiovascular & Hematological Agents in Medicinal Chemistry* 8(2): 113-127.

SUIKER & DIABETES

- Greenwood e.a. (2014). Association between sugar-sweetened and artificially sweetened soft drinks and type 2 diabetes: systematic review and dose-response meta-analysis of prospective studies. *British Journal of Nutrition* 112(5): 725-734.
- Hauner e.a. (2012). Evidence-based guideline of the German Nutrition Society: carbohydrate intake and prevention of nutrition-related diseases. *Annals of Nutrition and Metabolism* 60: 1-58.
- Imamura e.a. (2015). Consumption of sugar sweetened beverages, artificially sweetened beverages, and fruit juice and incidence of type 2 diabetes: systematic review, meta-analysis, and estimation of population attributable fraction. *BMJ* 351: h3576.
- McCulloch e.a. (2016). Patient education: Diabetes mellitus type 2. Overview (Beyond the Basics). *UpToDate*. www.uptodate.com/contents/diabetes-mellitus-type-2-overview-beyond-the-basics.
- McCulloch e.a. (2016). Risk factors for type 2 diabetes mellitus. *UpToDate*. www.uptodate.com/contents/risk-factors-for-type-2-diabetes-mellitus.
- Statistik Austria (2014). Chronische Krankheiten und Gesundheitsprobleme 2014. www.statistik.at.

SUIKER & KANKER

- Aune e.a. (2012). Dietary fructose, carbohydrates, glycemic indices and pancreatic cancer risk: a systematic review and meta-analysis of cohort studies. *Annals of Oncology* 23(10): 2536-2546.

- Bartrina e.a. (2013). Association between sucrose intake and cancer: a review of the evidence. *Nutrición Hospitalaria* 28 [Suppl 4]: 95-105.
- Burley (1997). Sugar consumption and cancers of the digestive tract. *European Journal of Cancer Prevention* 6(5): 422-434.
- Deutsches Krebsforschungszentrum (2007). Ernährung und Krebsvorbeugung. www.krebsinformationsdienst.de/vorbeugung/risiken/ernaehrung-praevention2.php.
- Franceschi e.a. (1997). Food groups and risk of colorectal cancer in Italy. *International Journal of Cancer* 72(1): 56-61.
- La Vecchia e.a. (1993). Refined-sugar intake and the risk of colorectal cancer in humans. *International Journal of Cancer* 55(3): 386-389.

TARWE & GEZONDHEID

- Davis (2011). *Wheat belly*. Rodale Books.
- Jones (2012). Wheat belly – an analysis of selected statements and basic theses from the book. *Cereal Foods World* 57(4): 177-189.
- Kroon (2013). Tarwe in de ban. *Consumentengids* december: 20-21.

TARWE-AGGLUTININE & GEZONDHEID

- Brady e.a. (1978). Identification of the dietary lectin, wheat germ agglutinin, in human intestinal contents. *Gastroenterology* 75(2): 236-239.
- De Punder e.a. (2015). The dietary intake of wheat and other cereal grains and their role in inflammation. *Nutrients* 5(3): 771-787.
- Matucci e.a. (2004). Temperature-dependent decay of wheat germ agglutinin activity and its implications for food processing and analysis. *Food Control* 15(5): 391-395.
- Pellegrina e.a. (2009). Effects of wheat germ agglutinin on human gastrointestinal epithelium: insights from an experimental model of immune/epithelial cell interaction. *Toxicology and Applied Pharmacology* 237(2): 146-153.
- Van Buul e.a. (2014). Health effects of wheat lectins: A review. *Journal of Cereal Science* 59(2): 112-117.

VASTEN & GEZONDHEID

- Horne e.a. (2015). Health effects of intermittent fasting: hormesis or harm? A systematic review. *The American Journal of Clinical Nutrition* 102(2): 464-470.
- IQWIG (2016). Rheumatoïde Arthritis. www.gesundheitsinformation.de/rheumatoide-arthritis.2222.de.html.
- Kjeldsen-Kragh e.a. (1991). Controlled trial of fasting and one-year vegetarian diet in rheumatoid arthritis. *The Lancet* 338(8772): 899-902.

- Michalsen e.a. (2013). Fasting therapy for treating and preventing disease – current state of evidence. *Forschende Komplementärmedizin/Research in Complementary Medicine* 20(6): 444-453.
- Smedslund e.a. (2010). Effectiveness and safety of dietary interventions for rheumatoid arthritis: a systematic review of randomized controlled trials. *Journal of the American Dietetic Association* 110(5): 727-735.
- Wilhelmi de Toledo e.a. (2013). Fasting therapy – an expert panel update of the 2002 consensus guidelines. *Forschende Komplementärmedizin/Research in Complementary Medicine* 20(6): 434-443.

VEGANISTISCH ETEN & GEZONDHEID

- Campbell e.a. (1998). Diet, lifestyle, and the etiology of coronary artery disease: The Cornell China study. *The American Journal of Cardiology* 82(10B): 18T-21T.
- Chen e.a. (1990). *Diet, Life-Style, and Mortality in China: A Study of the Characteristics of 65 Chinese Counties*. Oxford: Oxford University Press.
- Craig e.a. (2009). Position of the American Dietetic Association: vegetarian diets. *Journal of The American Dietetic Association* 109(7): 1266-1282.
- Demory-Luce e.a. (2016). Vegetarian diets for children. *UpToDate*. www.uptodate.com/contents/vegetarian-diets-for-children.
- Deutsche Gesellschaft für Ernährung (2011). Vegane Ernährung: Nährstoffversorgung und Gesundheitsrisiken im Säuglings- und Kindesalter. www.dge.de/wissenschaft/weitere-publikationen/fachinformationen/vegane-ernaehrung-saeugling-kindesalter/.
- Dinu e.a. (2017). Vegetarian, vegan diets and multiple health outcomes: A systematic review with meta-analysis of observational studies. *Critical Reviews in Food Science and Nutrition* 57(17): 3640-3649.
- Ho-Pham e.a. (2009). Effect of vegetarian diets on bone mineral density: A Bayesian meta-analysis. *The American Journal of Clinical Nutrition* 90(4): 943-950.
- Ho-Pham e.a. (2012). Vegetarianism, bone loss, fracture and vitamin D: A longitudinal study in Asian vegans and non-vegans. *European Journal of Clinical Nutrition* 66(1): 75-82.
- Österreichische Gesellschaft für Ernährung (2012). Vegetarische Ernährung. www.oege.at/index.php/component/content/article/54-bildung-information/ernaehrung-von-a-z/1788-vegetarische-ernaehrung.
- Piccoli e.a. (2015). Vegan-vegetarian diets in pregnancy: danger or panacea? A systematic narrative review. *BJOG An International Journal of Obstetrics & Gynaecology* 122(5): 623-633.
- Schwarz e.a. (2014). The influence of a whole food vegan diet with Nori algae

and wild mushrooms on selected blood parameters. *Clinical Laboratory* 60(12): 2039-2050.

VEGETARISCH ETEN & GEZONDHEID

- Demory-Luce e.a. (2016). Vegetarian diets for children. *UpToDate*. www.uptodate.com/contents/vegetarian-diets-for-children.
- Huang e.a. (2011). Cardiovascular disease mortality and cancer incidence in vegetarians: a meta-analysis and systematic review. *Annals of Nutrition and Metabolism* 60(4): 233-240.
- Kwok e.a. (2014). Vegetarian diet, Seventh Day Adventists and risk of cardiovascular mortality: a systematic review and meta-analysis. *International Journal of Cardiology* 176(3): 680-686.

VEZELS & DARMKANKER

- Asano e.a. (2002). Dietary fibre for the prevention of colorectal adenomas and carcinomas. *The Cochrane Database of Systematic Reviews* 2: CD003430.
- Aune e.a. (2011). Dietary fibre, whole grains, and risk of colorectal cancer: systematic review and dose-response meta-analysis of prospective studies. *BMJ* 343: d6617.
- Burn e.a. (2011). A randomized placebo-controlled prevention trial of aspirin and/or resistant starch in young people with familial adenomatous polyposis. *Cancer Prevention Research* 4(5): 655-665.
- Ishikawa e.a. (2005). Randomized trial of dietary fiber and Lactobacillus casei administration for prevention of colorectal tumors. *International Journal of Cancer* 116(5): 762-767.
- IQWIG (2016). Darmkrebs. www.gesundheitsinformation.de/darmkrebs.2069.de.html.
- Macrae e.a. (2016). Colorectal cancer: Epidemiology, risk factors, and protective factors. *UpToDate*. www.uptodate.com/contents/colorectal-cancer-epidemiology-risk-factors-and-protective-factors.
- Mathers e.a. (2012). Long-term effect of resistant starch on cancer risk in carriers of hereditary colorectal cancer: an analysis from the CAPP2 randomised controlled trial. *The Lancet Oncology* 13(12): 1242-1249.
- Wald e.a. (2016). Patient education: High-fiber diet (Beyond the Basics). *UpToDate*. www.uptodate.com/contents/high-fiber-diet-beyond-the-basics.

VIS & GIFSTOFFEN

- Bergkvist e.a. (2014). Dietary exposure to polychlorinated biphenyls is associated with increased risk of stroke in women. *Journal of Internal Medicine* 276(3): 248-259.

- Grandjean e.a. (2001). Neurobehavioral deficits associated with PCB in 7-year-old children prenatally exposed to seafood neurotoxicants. *Neurotoxicology and Teratology* 23(4): 305-317.
- Hites e.a. (2004). Global assessment of organic contaminants in farmed salmon. *Science* 303(5655): 226-229.
- Jacobson e.a. (1990). Effects of in utero exposure to polychlorinated biphenyls and related contaminants on cognitive functioning in young children. *The Journal of Pediatrics* 116(1): 38-45.
- Jacobson e.a. (1996). Intellectual impairment in children exposed to polychlorinated biphenyls in utero. *The New England Journal of Medicine* 335(11): 783-789.
- Nøstbakken e.a. (2015). Contaminant levels in Norwegian farmed Atlantic salmon (*Salmo salar*) in the 13-year period from 1999 to 2011. *Environment International* 74: 274-280.
- Pan e.a. (2015). Association between Environmental Dioxin-Related Toxicants Exposure and Adverse Pregnancy Outcome: Systematic Review and Meta-Analysis. *International Journal of Fertility & Sterility* 8(4): 351-366.
- Piskorska-Pliszczynska e.a. (2012). Survey of persistent organochlorine contaminants (PCDD, PCDF, and PCB) in fish collected from the Polish Baltic fishing areas. *The Scientific World Journal* 2012: 973292.
- Shaw e.a. (2006). PCBs, PCDD/Fs, and organochlorine pesticides in farmed Atlantic salmon from Maine, eastern Canada, and Norway, and wild salmon from Alaska. *Environmental Science & Technology* 40(17): 5347-5354.
- Zacs e.a. (2013). Occurrence of brominated persistent organic pollutants (PBDD/DFs, PXDD/DFs, and PBDEs) in Baltic wild salmon (*Salmo salar*) and correlation with PCDD/DFs and PCBs. *Environmental Science & Technology* 47(16): 9478-9486.

VLEESPRODUCTEN & RISICO OP KANKER

- Bouvard e.a. (2015). Carcinogenicity of consumption of red and processed meat. *The Lancet Oncology* 16(16): 1599-1600.
- Chan e.a. (2011). Red and processed meat and colorectal cancer incidence: meta-analysis of prospective studies. *PLoS One* 6(6): e20456.
- Robert Koch Institut (2013). *Krebs in Deutschland für 2013/2014*. www.krebsdaten.de/Krebs/DE/Content/Publikationen/Krebs_in_Deutschland/krebs_in_deutschland_node.html.
- Statistik Austria (2015). Dickdarm, Enddarm. www.statistik.at/web_de/statistiken/menschen_und_gesellschaft/gesundheit/krebserkrankungen/dickdarm_enddarm/index.html.

- Statistik Austria (2015). Weltkrebstag 4. Februar: 37.000 Neuerkrankungen und 20.000 Krebssterbefälle pro Jahr in Österreich. www.statistik.at/web_de/statistiken/menschen_und_gesellschaft/gesundheit/krebserkrankungen/075117.html.
- Wang e.a. (2016). Red and processed meat consumption and mortality: dose-response meta-analysis of prospective cohort studies. *Public Health Nutrition* 19(5): 893-905.
- World Health Organization (2015). IARC Monographs evaluate consumption of red meat and processed meat. www.iarc.fr/en/media-centre/pr/2015/pdfs/pr240_E.pdf.
- World Health Organization (2015). Q&A on the carcinogenicity of the consumption of red meat and processed meat. www.who.int/features/qa/cancer-red-meat/en/.

VOEDSELALLERGIE & BABY'S

- De Silva e.a. (2014). Primary prevention of food allergy in children and adults: systematic review. *Allergy* 69(5): 581-589.
- Du Toit e.a. (2015). Randomized trial of peanut consumption in infants at risk for peanut allergy. *The New England Journal of Medicine* 372(9): 803-813.
- Kamer e.a. (2012). Maternal dietary antigen avoidance during pregnancy or lactation, or both, for preventing or treating atopic disease in the child. *The Cochrane Database of Systematic Reviews* 9: CD000133.
- Palmer e.a. (2013). Early regular egg exposure in infants with eczema: A randomized controlled trial. *The Journal of Allergy and Clinical Immunology* 132(2): 387-392.e1.
- Perkin e.a. (2016). Randomized Trial of Introduction of Allergenic Foods in Breast-Fed Infants. *New England Journal of Medicine* 374(18): 1733-1743.
- Vandenplas e.a. (2016). Hydrolyzed formulas for allergy prevention. *Journal of Pediatric Gastroenterology and Nutrition* 58(5): 549-552.

VOEDINGSSUPPLEMENTEN & CHOLESTEROLGEHALTE

- Bundesamt für Risikobewertung (2014). Gesundheitliche Bewertung von Nahrungsergänzungsmitteln. www.bfr.bund.de/de/gesundheitliche_bewertung_von_nahrungsergaenzungsmitteln-945.html.
- Fortmann e.a. (2013). Vitamin and mineral supplements in the primary prevention of cardiovascular disease and cancer: An updated systematic evidence review for the U.S. Preventive Services Task Force. *Annals of Internal Medicine* 159(12): 824-834.
- IQWIG (2014). Was sind Nahrungsergänzungsmittel? www.gesundheitsinformation.de/was-sind-nahrungsergaenzungsmittel.2278.de.html.
- IQWIG (2014). Erhöhte Cholesterinwerte. www.gesundheitsinformation.de/erhoehte-cholesterinwerte.2178.de.html.
- Nederlandse Hartstichting (2017). Feiten en cijfers hart- en vaatziekten. www.hartstichting.nl/hart-en-vaatziekten/feiten-en-cijfers-hart-en-vaatziekten.

- Rees e.a. (2013). Selenium supplementation for the primary prevention of cardiovascular disease. *The Cochrane Database of Systematic Reviews* 1: CD009671.
- Rosenson e.a. (2016). Patient education: High cholesterol treatment options (Beyond the Basics). *UpToDate*. www.uptodate.com/contents/high-cholesterol-treatment-options-beyond-the-basics.
- Tangney e.a. (2016). Lipid lowering with diet or dietary supplements. *UpToDate*. www.uptodate.com/contents/lipid-lowering-with-diet-or-dietary-supplements.

VOLKORENPRODUCTEN & GEZONDHEID

- Aune e.a. (2016). Whole grain consumption and risk of cardiovascular disease, cancer, and all cause and cause specific mortality: systematic review and dose-response meta-analysis of prospective studies. *BMJ* 353: i2716.
- Chanson-Rolle e.a. (2015). Systematic Review and Meta-Analysis of Human Studies to Support a Quantitative Recommendation for Whole Grain Intake in Relation to Type 2 Diabetes. *PLoS One* 10(6): e0131377.
- Chen e.a. (2016). Whole-grain intake and total, cardiovascular, and cancer mortality: a systematic review and meta-analysis of prospective studies. *The American Journal of Clinical Nutrition* 104(1): 164-172.
- Fogelholm e.a. (2012). Dietary macronutrients and food consumption as determinants of long-term weight change in adult populations: a systematic literature review. *Food & Nutrition Research* 56(1): 19103.
- Hartley e.a. (2016). Dietary fibre for the primary prevention of cardiovascular disease. *The Cochrane Database of Systematic Reviews* 1: CD011472.
- Huang e.a. (2015). Consumption of whole grains and cereal fiber and total and cause-specific mortality: prospective analysis of 367.442 individuals. *BMC Medicine* 13: 59.
- Liu e.a. (2016). Dietary carbohydrates. *UpToDate*. www.uptodate.com/contents/dietary-carbohydrates.
- Pol e.a. (2013). Whole grain and body weight changes in apparently healthy adults: a systematic review and meta-analysis of randomized controlled studies. *The American Journal of Clinical Nutrition* 98(4): 872-884.
- Wei e.a. (2016). Whole-grain consumption and the risk of all-cause, CVD and cancer mortality: a meta-analysis of prospective cohort studies. *British Journal of Nutrition* 116(3): 514-525.
- Ye e.a. (2012). Greater whole-grain intake is associated with lower risk of type 2 diabetes, cardiovascular disease, and weight gain. *Journal of Nutrition* 142(7): 1304-1313.
- Zong e.a. (2016). Whole Grain Intake and Mortality From All Causes, Cardiovascular Disease, and Cancer: A Meta-Analysis of Prospective Cohort Studies. *Circulation* 133(24): 2370-2380.

WATER DRINKEN & HOOFDPIJN

- Institute of Medicine (2004). *Dietary Reference Intakes: Water, Potassium, Sodium, Chloride, and Sulfate*. Washington: National Academics Press.
- Spigt e.a. (2005). Increasing the daily water intake for the prophylactic treatment of headache: a pilot trial. *European Journal of Neurology* 12(9): 715-718.
- Spigt e.a. (2012). A randomized trial on the effects of regular water intake in patients with recurrent headaches. *Family Practice* 29(4): 370-375.

XYLITOL & CARIËS

- IQWIG (2014). Karies. www.gesundheitsinformation.de/karies.2588.de.html.
- Öffentliches Gesundheitsportal Österreichs (2014). Karies: Was ist das? www.gesundheit.gv.at/Portal.Node/ghp/public/content/karies1.html.
- Riley e.a. (2015). Xylitol-containing products for preventing dental caries in children and adults. *The Cochrane Database of Systematic Reviews* 5: CD010743.
- Robert Koch Institut (2009). *Mundgesundheit*. www.rki.de/DE/Content/Gesundheitsmonitoring/Gesundheitsberichterstattung/GBEDownloadsT/mundgesundheit.html.

ZOUT & HART- EN VAATZIEKTEN

- Aburto e.a. (2013). Effect of lower sodium intake on health: systematic review and meta-analyses. *BMJ* 346: f1326.
- He e.a. (2013). Effect of longer-term modest salt reduction on blood pressure. *The Cochrane Database of Systematic Reviews* 4: CD004937.
- IQWIG (2014). Bluthochdruck – Hilft es, weniger Kochsalz zu sich zu nehmen? www.gesundheitsinformation.de/hilft-es-weniger-kochsalz-zu-sich-zu-nehmen.2083.de.html.
- Kaplan e.a. (2016). Salt intake, salt restriction, and primary (essential) hypertension. *UpToDate*. www.uptodate.com/contents/salt-intake-salt-restriction-and-primary-essential-hypertension.
- Li e.a. (2012). High salt intake and stroke: meta-analysis of the epidemiologic evidence. *CNS Neuroscience & Therapeutics* 18(8): 691-701.
- Strazzullo e.a. (2009). Salt intake, stroke, and cardiovascular disease: meta-analysis of prospective studies. *BMJ* 339: b4567.
- Taylor e.a. (2011). Reduced dietary salt for the prevention of cardiovascular disease. *The Cochrane Database of Systematic Reviews* 7: CD009217.
- World Health Organization (2003). *Diet, nutrition and the prevention of chronic diseases*. Genève: World Health Organization.


ZUURZAK & KANKER

- Cancer Research UK (2015). Graviola (soursop). www.cancerresearchuk.org/about-cancer/cancers-in-general/cancer-questions/can-graviola-cure-cancer.
- Clinical Trials (2015). Effect of Annona Muricata Leaves on Colorectal Cancer Patients and Colorectal Cancer Cells. www.clinicaltrials.gov/ct2/show/NCT02439580.
- Clinical Trials (2015). A New Supplement for the Immune Response to HPV Infection. www.clinicaltrials.gov/ct2/show/NCT02263378.
- Hansra e.a. (2014). Patient with Metastatic Breast Cancer Achieves Stable Disease for 5 Years on Graviola and Xeloda after Progressing on Multiple Lines of Therapy. *Advances in Breast Cancer Research* 3(3): 84-87.
- Memorial Sloan Kettering Cancer Center (2015). Graviola. www.mskcc.org/cancer-care/integrative-medicine/herbs/graviola.
- Moghadamtousi e.a. (2015). Annona muricata (Annonaceae): A Review of Its Traditional Uses, Isolated Acetogenins and Biological Activities. *International Journal of Molecular Sciences* 16(7): 15625-15658.
- Paul e.a. (2013). Anti cancer activity on Graviola, an exciting medicinal plant extract vs various cancer cell lines and a detailed computational study on its potent anti-cancerous leads. *Current Topics in Medicinal Chemistry* 13(14): 1666-1673.
- Pieme e.a. (2014). Antiproliferative activity and induction of apoptosis by Annona muricata (Annonaceae) extract on human cancer cells. *BMC Complementary and Alternative Medicine* 14: 516.
- Statistik Austria (2015). Krebsprävalenz. www.statistik.at/web_de/statistiken/menschen_und_gesellschaft/gesundheit/krebserkrankungen/krebspraevaleanz/index.html.
- Statistik Austria (2015). Prognose der Krebsinzidenz und Krebsmortalität. www.statistik.at/web_de/statistiken/menschen_und_gesellschaft/gesundheit/krebserkrankungen/prognose_krebsinzidenz_krebsmortalitaet/index.html.
- Statistik Austria (2015). Todesursachen gesamt. www.statistik.at/web_de/statistiken/menschen_und_gesellschaft/gesundheit/todesursachen/todesursachen_im_ueberblick/index.html.

MAANDELIJKS IN JE MAIL DE GEZONDGIDS NIEUWSBRIEF



Blijf
op de
hoogte



Interesse? Schrijf je in via www.gezondgids.nl/nieuwsbrief

Meer dan 8.000 lezers ontvangen iedere maand de gratis e-mailnieuwsbrief van de *Gezondgids*. En daar komen iedere maand meer lezers bij. Mis hem niet.

De *Gezondgids* nieuwsbrief besteedt iedere keer aandacht aan:

- Actueel gezondheidsnieuws en informatie over voeding, beweging, medicijnen en zelfzorgmiddelen.
- Tips en adviezen om klachten te voorkomen.
- Speciale en voordelige aanbiedingen van de Consumentenbond.

Ga voor de laatste nieuwsbrief naar www.gezondgids.nl en klik onder aan de pagina op de link 'Gezondgids-nieuwsbrief'.